Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 1 of 7

PERSONAL INFORMATION

Present Address : C/o AIS (Advance Inspection Services)

3661 Rd 112, Al Jubail Industrial Area 35717-8185, Kingdom of Saudi Arabia.

Home Address: Piddig, Ilocos Norte, Philippines 2912

Date of Birth : June 18, 1990

Nationality : Filipino

EDUCATIONAL BACKGROUND

School/Institution	Degree / Certification	Dates in Attendance	Philippine License
Mariano Marcos	Bachelor of Science in	June 2007-	September
State University	Electrical Engineering	March 2012	2012 (0049886)

CAREER OBJECTIVE

To work in a company with an effective environment conductive for a person success, intellectual growth and career advancement and to achieve a position that would offer job satisfaction and channels for application of knowledge gain.

KEY QUALIFICATION

- Registered member of Saudi Council of Engineers (Membership ID Number 258933)
- ➤ Registered Electrical Engineer since September 2012 (Philippines License No. 0049886)
- ➤ Having 8 years' experience in the field of Quality Control and Site Supervision of Electrical and Instrumentation activities.
- > Competent in organizing, directing and controlling operation of electrical and instrument quality department.
- ➤ A resourceful leader with proven skilled in leading and directing personnel towards the accomplishment of a common goal.
- Ability to effectively work in Multicultural Teams as a member.
- Ability to work under pressure and meet deadlines.
- > Safety oriented based on the project requirements.
- > Excellent written and oral communication skills
- Computer Literacy in Microsoft Word, Excel and Power Point.

Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 2 of 7

SPECIFIC JOB EXPERIENCE

Company: Advance Inspection Services (AIS)

Position : Electrical And Instrumentation Qc

Date : July 2019 to Present

Project : Maaden Bauxite Aluminum Company (Upgrade Project)

Client : (Maaden)

Job responsibilities:

- > Over all in charge for Electrical and instrumentation project, installation, testing, commissioning, functional testing and project hand over.
- > Witness for factory acceptance test (FAT) and site acceptance test for different electrical and instrument equipment.
- Responsible for installation and testing of motor, winding insulation resistance, winding resistance, polarization index, ptc, rtd, space heater, no load and with load test, rotation, vibration, noise, temperature, starting current, output current and voltage.
- Witness calibration of instruments Pressure Transmitters, Temperature Transmitters, Differential Flow Transmitter, RTD, Control Valve, On-OFF Valve, Pressure Gauges, and Temperature Gauges etc. and prepare the calibration certificate accordingly.
- Witness and inspection approval of cable tray and conduit installation and make sure that it is as per Aramco standards.
- Inspection of installation of instruments as per hook up drawing e.g. Pressure Transmitters, Temperature Transmitters, Differential Flow Transmitter, Flow Transmitter (Magnetic, Vortex), Control Valve, Level Transmitter, Pull Wire, Belt Alignment, Block chute Sensor, Weight meter, On-OFF Valve etc.
- Supervision and monitoring site activities, troubleshooting and testing.
- > Responsible for the over-all implementation of Quality Control related electrical works accordance with project specifications and Engineering Standards.
- Verify all required inspection report and test records are systematically generated and compiled according to the approved QC Procedures.
- Keeping the files/Inspection records always updated.
- Review and approval of Inspection and Test Plan, Construction Quality Procedure and Method of Statement.
- > Review and approval of loop folder for loop testing of field instrument.
- Review and approval of energization, solo run, and start up package.

Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 3 of 7

- Closing of MC punch list, for hand over.
- Conduct site inspection and ensure all electrical installation must comply with the design specifications, as per drawings and as per applicable standard.
- ➤ Highlighting all discrepancies/anomaly detected during site surveillance/inspection and informing the same to QC Supervisor or Manager.
- Ensure that all the documents to be attached in the RFI are approved IFC drawing before conducting the inspection.
- Ensure that all works done are in accordance with the approved IFC drawing, contract documents, procedure and standards.
- ➤ Initiate QSR/NCR as required in consultation with QC Supervisor or Manager.
- Review and approval of Request for Inspection (RFI.)
- Review, Inspection and approval of all Electrical Material, prior to Installation.
- > Verify the equipment and devices used in the project meets the required specifications per project requirements, Standard and tested in accordance with the procedures.
- Monitor the Underground installations; check the required burial depth and spacing
- Requirements to adjacent installations, prior to backfilling.
- Witness and approval of medium and low voltage installation, termination, splicing and jointing and testing of underground & above cable system.
- Witness and testing of cable continuity, Insulation and HI-POT test.
- > Responsible for the installation of electrical cable trays, conduit above and below ground, field junction boxes and lighting panels.
- Witness and approval of Installation of Electrical Ups System, Dcu system, battery rack and batteries.
- Witness and Inspection of Electrical Equipment function test and Illumination level testing of lighting system.
- > Witness and Inspection of installation and testing for welding and lighting socket outlet.
- Witness and Inspection of Switch Gear Panel installation, Cable Termination and Bus bar torque.
- Witness and inspection of control panel marshalling panels and termination continuity and Megger test.
- Witness and Inspection of Ground Rod and Grounding cable, as per Engineering Specification.
- > Witness and Inspection of earth resistance testing of grounding rod and equipment grounding.

Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 4 of 7

- Witness and Inspection of Heat Tracing Panel Installation, PT, RTD Junction Box Installation and Heat tracing cable laying and Insulation Test.
- Coordinate with Contractor representatives regarding the implementation and quality of works.
- Provide sufficient feedback to QA/QC Manager on the day to day quality issues.
- > To supervise and carry out effective implementation of work schedule to clear punch list.
- Verification of Material Storage and Preservation system as per Standards.
- Carry out material receiving inspection of approved electrical materials and accessories as per project specification and standard.

SPECIFIC JOB EXPERIENCE

Company: Petroleum Chemical And Mining Company (PCMC)

Position : Electrical Qc Inspector

Date : February 2018 to June 2019

Project : Fadhili Gas Program Project

Client : Saudi Aramco

Job responsibilities:

- Review project scope of work and Electrical ARAMCO standards before the start of work.
- Check and inspection of material delivery conforming to the ARAMCO standard requirements and approve material by client and prepare receiving report.
- Verify the equipment and devices used in the project meets the required specifications per project requirements, Standard and tested in accordance with the procedures.
- Monitor the Underground cable installation, check the required burial depth and spacing requirements to adjacent installations, prior to backfilling.
- Witness for medium and low voltage installation, termination, splicing and jointing and testing of underground & above cable system.
- Witness inspection of medium voltage insulation damage repair as per Aramco/vendor recommendation.
- Testing of cable continuity, Insulation and HI-POT test.

Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 5 of 7

- Responsible for the installation of electrical cable trays, conduit above and below ground, field junction boxes and lighting panels.
- > Inspection of Electrical Equipment function test and Illumination level testing of lighting system.
- Responsible for installation and testing of welding and lighting socket outlet.
- Inspection of Switch Gear Panel installation, Cable Termination and Bus bar torque.
- Installation of control panel marshalling panels and termination continuity and Megger test.
- Inspection of Ground Rod and Grounding cable, as per Engineering Specification.
- Witness for earth resistance testing of grounding rod and equipment grounding.
- Inspection of Heat Tracing Panel Installation, PT, RTD Junction Box Installation and Heat tracing cable laying and Insulation Test.
- > Report and Prepare QSR and NCR if found non-compliance with the project quality requirements, procedures and standards as the construction stage on going.

SPECIFIC JOB EXPERIENCE

Company: Petroleum Chemical and Mining Company (PCMC)

Position : Electrical QC Inspector

Date : November 2015 to February 2018

Project: Maaden Umm Wu'Al EPC-2 Project, DAP-NPK Plant

Client : Dragados Gulf Construction

Job responsibilities:

- > Review project scope of work and project applicable standards before the start of the project.
- Responsible in preparing Inspection and Test Plan (ITP) for Electrical and also construction checklist for the approval of client.
- ➤ Ensure that all the documents to be attached in the RFI are approved IFC drawing before conducting the inspection.
- ➤ Ensure that all works done are in accordance with the approved IFC drawing, contract documents, procedure and standards.
- Monitor the Underground cable installation, check the required burial depth and spacing requirements to adjacent installations, prior to backfilling.

Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 6 of 7

- Witness for medium and low voltage installation, termination, splicing and jointing and testing of underground & above cable system.
- Witness inspection of medium voltage insulation damage repair as per Aramco/vendor recommendation.
- > Testing of cable continuity, Insulation and HI-POT test.
- Responsible for the installation of electrical cable trays, conduit above and below ground, field junction boxes and lighting panels.
- Inspection of Electrical Equipment function test and Illumination level testing of lighting system.
- > Responsible for installation and testing of welding and lighting socket outlet.
- Inspection of Switch Gear Panel installation, Cable Termination and Bus bar torque.
- Installation of control panel marshalling panels and termination continuity and Megger test.
- Inspection of Ground Rod and Grounding cable, as per Engineering Specification.
- Witness for earth resistance testing of grounding rod and equipment grounding.
- Inspection of Heat Tracing Panel Installation, PT, RTD Junction Box Installation and Heat tracing cable laying and Insulation Test.
- Maintain and secure neat comprehensive filing of documents for easy reference.
- Responsible for all the inspection requirements set by the project and to ensure that testing/calibration are in accordance to project data sheets/specifications.
- Responsible for co-ordination with the client as well as the third party inspection team for inspection of the works carried out as per approved Inspection and Test Plan & procedures.
- ➤ Responsible in co-ordination with construction team managers, engineers and supervisors regarding technical deviation as per plan and drawings.
- > Responsible in co-ordination with other discipline.
- Report and prepare QSR (Quality Surveillance Report) and (Non Conformance Report) NCR if found non compliance with the project quality requirements, procedures and standards.
- > To ensure that necessary measures are taken to avoid occurrence of QSR and NCR.
- Prepare and log all inspection report approved rejected and hold.
- Prepare and log all QSR (Quality Surveillance Report) and (Non Conformance Report) NCR.
- Prepare and log all Electrical and Instrument testing equipments.
- > To ensure that Electrical Equipment Test package is prepared prior to energization.
- ➤ To ensure that Motor Solo Run/Motor Bump Test test package is prepared prior to testing of the motor.
- > To ensure that Instrument Loop Folder is prepared prior to loop checking.

Email: renjieantonio0719@gmail.com Mobile No.: 0583760295

Page 7 of 7

- Responsible in Handover of Quality Dossiers to client. eg. Final Quality Dossiers and Construction Book as per subsystem and ITP.
- ➤ Ensure that all required permits are ready and in place to the work areas prior to the start of work activities and ensuring that all equipment, tools are used in the project are in a good condition and inspected by the project safety with the mark of color coding and stickers and permit receiver personnel are standby to the place of working areas.
- ➤ Direct responsible for all safety procedure and standard of the project by ensuring that the project execution will be done according to all applicable health, safety, sanitary and environmental standards.

SPECIFIC JOB EXPERIENCE

Company: Torque Builders Incorporated

Position : Electrical Supervisor

Date : June 2013 to June 2015

Project: The Grove Project High Rise Condominium (Philippines)

Client : Datem Construction

Job responsibilities:

- Coordinate to the client, attending progress meeting and construction activities.
- Supervising and undertaking electrical Works within a commercial environment.
- Dealing with any technical issues that may arise at site.
- Witness Inspection for all electrical install equipment, fixtures Etc.
- Ensuring that on site Health & Safety regulations are strictly adhered to.
- Supervising the work of junior and newly qualified personnel.
- Conducting site surveys, audits and inspections.
- Organizing work schedules and maintaining worker timesheets.
- Undertaking hands on electrical installation work.
- Making sure that safe working practices are maintained at all times.
- Making sure that work methods are sufficient to meet a project's needs.



لة خلدمات الفحيص المطاورة dvanced Inspection Services Co.

سجل تجاري : ۲۰۵۱۰۳٤۲۲۰

رأس المال: ۲۰۹۰،۰۰۰ ورس

Date: - 11/10/2019

24/19

TO WHOM IT MAY CONCERN

This is to certify that Mr. Renjie Aguinaldo Antonio of Philippine nationality holding Igama no.2398643748 and Passport no. P8646001A is employed with us in the position of Electrical Engineer since 09/07/2019.

This certificate is issued upon his request for the purpose it may serve, without any liabilities and/or obligations of whatsoever nature on the company.









معادن للألمنيوم MA'ADEN ALUMINIUM

معادن 🗘 MA'ADEN



ريجي انطونيو Renjie Antonio

Badge No: ASD 10359

Valid Until صالحة نغاية 24/08/2022

/2022

رقم الشارة:

9333

SAUDI ARAMCO



FADHILI GAS PROJECTS DEPARTMENT FADHILI GAS INLET AND TREATMENT & PROCESS UTILITIES FACILITIES

SAPMT Site Office Telephone No.: (013) 678-2925

July 09, 2018

FGITPU/IK-L-53933/2018

RICARDO J. MATEO, Contractor Representative TECNICAS REUNIDAS SAUDIA FOR SERVICES & CONTRACTING CO. LTD. C.R. 2051051935 CoC No. 69345 P.O. Box 77076, Al-Khobar 31952, Kingdom of Saudi Arabia

IK Contract Nos. 6600036250 / 6600036252

SUBCONTRACTOR PCMC - ELECTRICAL QUALITY CONTROL INSPECTOR (MR. RENJIE A. ANTONIO) - FINAL APPROVAL.

Your reference: TRSA-SAF-L-55002

Please find attached COMPANY response to your submitted document of SUBCONTRACTOR PCMC - ELECTRICAL QUALITY CONTROL INSPECTOR (MR. RENJIE A. ANTONIO) – FINAL APPROVAL.

Should you have other concerns, please contact Sami A. Majed No. 013 678-2599 or email via sami.majed.2@aramco.com.

SAMIR A. AL-NUJAIN, Company Representative

FGPD/Fadhili Utilities Projects Division

SAM/ OOS: ahm

Cc:

File: \$\11.2.2.6

Attachment(s): YES Response required: NO



9/2018

Upstream Projects Inspection Division Letter Number Fadhili Projects Inspection Section FPIS -10-01900 -1297 /2018 Fadhili Gas Inlet and Treatment & Process Utilities Facilities Date DCN Phone: 1-Jul-18 1297 **AHMED S. AL-QAHTANI** Name: Position: Sr. Project Engineer To Division: FGPD / Fadhili Gas Inlet and Treatment & Process Utilities Facilities Address: Phone #: 0 Fax #: Attention: Contractor: ecnicas Reunidas Saudia For Services & Contracting Co. Lt JO: 10-01900-0002/3 Title: Fadhili Gas Inlet & Treatment and Process Utilities SUBCONTRACTOR PCMC - ELECTRICAL QUALITY CONTROL INSPECTOR Reference: FGITPU-IK-T-04071 Subject: (MR. RENJIE A. ANTONIO) - FINAL APPROVAL. Name Title **Review Status** QC INSPECTOR -MR. RENJIE A. ANTONIO Accepted/Approved ELECTRICAL 1-Accepted/Approved; 2-Conditionally Approved; 3-Accepted(as Rellever; 4-Reject; 5-CV Review Accepted; Interview Remarks/Comments Required; 6-CV Candidate Rejected; 7-Revoked; 8-Reviewedw/ comment; 9-Reviewed w/out comments MR. RENJIE A. ANTONIO, approved as ELECTRICAL QUALITY CONTROL INSPECTOR based on his work performance shown during the probationary approval. NOTE: Approval is subject to his performance in the field which shall be evaluated by Saudi Aramco on a regular basis. If his performance falls short of expectation or satisfaction of the company then Saudi Aramco shall have the right to revoke this approval at anytime. Signature Block Date Reviewed Mubarak J Al Harbi Unit Supervisor (A) 9-Jul-18 Mansur Fadhili Gas Inlet & Treatment

Saudi Aramco. Company General Ose

FADHILI GAS PROGRAM
PROCESS UTILITIES AND INTERCONNECTING SYSTEMS

TECNICAS REUNIDAS SAUDIA FOR SERVICES & CONTRACTING LTD.

Name: RENJIE A.ANTONIO

Nationality:FILIPINO Govt. No: 2398643748

Job Title: ENGINEER QA/QC

Company: PCMC

Package: 2

Issue Date : 3/6/18



29756



Umm Wu'al EPC Project DAP-NPK Plant, Storage & Offsites at Ras al Khair



Ma'aden Wa'ad Al Shamla Phosphate Company FLUOR ARABIA LTD

DOCUMENT	PROPOSED QA/QC PERSONNEL			
NAME	ABDUL KAREEM PUTHIRY QA/QC Manager	STATUS		
DEPARTMENT	QA/QC	1 Approved		
COMPANY	РСМС	2 — Approved w/ Comments		
ADDRESS	Maaden Umm Wu'Al EPC-2-Project, DAP-NPK Plant, Storage & Offsites,Ras Al Khair	3 — Conditionally approved 4 — Rejected		
		PROJECT DESCRIPTION		
CONTRACTOR	Dragados Gulf Construction	Umm Wu'al EPC Project DAP/NPK Plant PKG# 02		
REFERENCE No.	16120-T-PCMC-DGC-CN-1833	DATE 28-Jan-2017		
REFERENCE TITLE RESUME FOR QA/QC PERSONNEL ASSESS		1ENT		

REVIEW RESPONSE

Dragados has completed the review of submitted CV and conducted a technical interview of the proposed QA/QC personnel **Mr. Renjie A. Antonio** with below result

Name	2	Position	Review result
Mr. Ren	jie A. Antonio	QA/QC Electrical Inspector	(1) Approved

Note:

- Above approved QC personnel shall be dedicated to perform quality functions and always comply with the applicable requirements of project specifications and Maaden Engineering standards.
- 2. Dragados reserves the right to revoke this approval, if found unsatisfactory performance of the above mentioned approved quality personnel.

ABD	UL KAREEM PUTHI	RY COS BULF COM	Signature	Date: 20 - 1	11-2017
cc:	Project file	QA/QC	Amond	Project file	1 OF 1

FLUOR ARABIA LTD. PAOMC FLUOR.



The second of the second





Color Color

CERTIFICATE OF APPRECIATION

"Together We Stand, One Team One Goal" Is hereby issued to

MR. RENJIE A. ANTONIO

"QA/QC Electrical Inspector" ID # 2398643748

"UMM WU'AL EPC PROJECT, DAP/NPK PLANT, STORAGE & OFFSITES", Ras Al Khair Industrial For the valuable support and services rendered as in Ma'aden Phosphate Company Project

City, Kingdom of Saudi Arabia



Mr. Abdun areem Duthiry Dragados Gulf Construction Co. Site QA/QC Manager

Dragados Gulf Construction Co. QA/QC Deputy Manager Wr. Joby Thomas

	Decument No: Issue:				
dragados gulf					
	Item:				
	Order No.:	MD-51	3-0G00-CN-EL-CON-2025		
lob: 16130		Client	MA'ADEN WA'AD AL SHAM COMPANY	AL PHOSPHATE	
roject: Umm Wu'al E Infrastructure	PC Project e, Utilities & Offs	ites at Ras	Al Khair		
	S	TATUS C	F DOCUMENT		
A - Approved without comments			D - For Information		
B - Approved with comments			Z - Cancelled		
C - Nat Approved			E - As-Built MUHAMMAD B	SAKHSH SCONT	
16 - NOV. 20	15		ELECTRICAL INS	i i	

RESPONSIBILITY IN THE PROJECT OBLIGATIONS AS SPECIFIED IN THE CONTRACTUAL DOCUMENTS.



CERTIFICATION OF EMPLOYMENT

To whom it may concern:

This is to certify that MR. RENJIE A. ANTONIO has been employed in this company since June 15, 2013 to June 2, 2015 as Electrical Supervisor. He has shown enthusiasm and efficiency in handling his job assignments.

This certification is being issued upon his request for whatever purposes it may serve.

Issued this 22nd day of July for the year 2015.

Very truly yours,

MARK JULIUS T. LOHAN

HR Manager

tbi.certi doc



Safeways Consultancy & Safety Services DOLE-OSHC Accreditation No. 1030-110513-0046

Certificate of Completion

is given to

Renjie A. Antonio

for having successfully completed the DOLE-BWC prescribed 40-hours

Basic Occupational Safety and Health for Construction Site Safety Officers

Training Course

Pursuant to the provisions of Presidential Decree No. 442 otherwise known as the Labor Code of the Philippines, and Rule 1030 of the Occupational Safety and Health Standards (OSHS).

Held on January 13, 20, 27, February 3, and 10, 2013 at the Conference Room, DATEM Inc., One Shangri-La Place Project, EDSA comer Shaw Blvd., Mandaluyong City.

Given this 10th day of February 2013, Mandaluyong City.

JOSELITO B. OTERO

Manager

ENGR. SERAFIN S. DELOS REVES

Tyaining Director

DOLE-OSHE Accredited Safety Consultant



SCSS -BOSH- 05941

(Saffiers)

(Not Valid Without Company Dry Seal)

a group company of A MITS SEISHI HEAVY INDUSTRIES, LTD.

MHI ENGINE SYSTEM PHILIPPINES, INC.

CERTIFICATE OF ATTENDANCE

THIS IS TO CERTIFY THAT

RENJIE A. ANTONIO

Has attended the Training and Classroom Orientation on Proper Operation and Maintenance of Mitsubishi Diesel-Generator Set at ICITE, #12 Orchard Road Eastwood City Cyberpark, Bagumbayan, Quezon City

Given this 18th day of June 2015

Alfredo Páz Service & Parts Manago

Service & Parts Manager

Ost Control of the Co

Toshimasa Yukitati Business Development Manager

Tunihiro Honjo

Kunihiro Honjo President







133

Membership no.: 258933

Certificate

عضوية رقم: 258933

Saudi Council of Engineers, which aims at prescribing necessary rules, regulations, and examinations for obtaining professional degrees, as stipulated in its Statute issued by Royal Decree 36/M dated 26/09/1423H, and in accordance with the Executive Bylaws and Regulations for professional accreditation, hereby awards:

RENJIE AGUINALDO ANTONIO

Classification: Engineering

Specialization: Electrical Engineering

استناداً إلى نظام الهيئة السعودية للمهندسين الصادر بالمرسوم الملكي رقم م/ ٣٦ وتاريخ ٢٦ / ٩ / ٢٦هـ، بوضع القواعد والامتحانات اللازمة للحصول على الدرجات المهنية وبناءً على اللائحة التنفيذية وقواعد الاعتماد المهنى للمهندسين، فقد قررت الهيئة منح:

رينجي أغوينالدو أنطونيو

التصنيف: هندسة

التخصص: هندسة كهربائية



This Certification is valid until:

15 November 2020

Secretary General

الأمين العام

PA&Q Director

مدير عام الاعتماد والتأهيل المهنى

" C

م. فرحان بن حبيتر الشمري

ه. ابر اهيم بن عامر الحمود

هذه الشهادة صالحة إلى تاريخ 30 ربيع الأول 1442

To All Men To Whom These Presents May Come GREETINGS:

Be it known that the Board of Regents by authority of the Republic of the Philippines and on recommendation of the University Academic Council has conferred upon

Remite A. Antonio

who has fulfilled all the requirements therefor, the degree of

Bachelor of Science in Electrical Engineering

with all the rights, honors and privileges as well as the obligations and responsibilities

thereunto appentaining.

of the President, the Dean of the College and the Secretary of the University In testimony whereof, the seal of the University and the signatures

Given at the City of Batac, Hocos Norte, Philippines this 2nd day of are hereunts affixed.

April in the year of our Lord two thousand and twelve.

VIRGILIO JULIUS P. MANZANO JR.

Secretary of the University ALEGRIA T/VISAYA

MIRIAM E. PASCUA





Kepublika ng Pilipinas

REPUBLIC OF THE PHILIPPINES

Komispon sa Kegulaspon ng mga Propesponal Aupon ng Inhinverya Clektrikal PROFESSIONAL REGULATION COMMISSION

BOARD OF ELECTRICAL ENGINEERING



Dapat malaman na si

Be it known that

RENGIE AGUINALDO ANTONIO

ap nakatunad sa mga tadhana ng Batas Republika Blg. 7920 at sa mga kautusang legal at regulaspon ng

Lupon at ng Komispon at itinala sa talaan ng mga propesponal bilang isang

has complied with all the requirements of Republic Act No. 7920 and the rules and regulations of the

Board and the Commission and has been entered in the registry book of professionals as a

Kehistradong Inhinvero Elektrikal

REGISTERED ELECTRICAL ENGINEER

Sa Ratunapan Rito, Itong Ratibapan Blg. 49886 na nilagdaan ng Tagapangulo at mga Ragawad ng Lupon at ng Tagapangulo ng na may privilehiyong gumamit ng titulo at manungkulan sa propesyong ito sa ilalim ng kapangparihan ng Republika ng Pilipinas. with the privilege to assume the title and to practice the profession under the authority of the Republic of the Philippines.

IN TESTIMONY WHEREOF, this Certificate, signed by the Chairman and Members of the Board and the Chairperson of the

Romispon, na may tatak ng selvo ng kapangyarihan ng Lupon at ng Romispon alinsunod sa mga probispon ng Commission, with the official seal of the Board and the Commission affixed thereto in accordance with the provisions of

Batas Republika Blg. 7920 at Batas Republika Blg. 8981 dito sa Lungsod ng Mapnila, Pilipinas Republic Act No. 7920 and Republic Act No. 8981, in the City of Manila, Philippines

., sa taon ng Ating Panginoon, Dalawang Libo at labing dalawa. .. in the year of Our Lord, Two Thousand and twelve. is hereby awarded to him/her on this 4th day of October 4 ng Oktubre ay ipinagkaloob sa kanya ngayong ika-

FORTUNATO C. LEYNES

Chairman

Dinagtibay: Approved.

FRANCIS V. MAPILE

husing Khanjul

Tagapangulo

JAIME V. MENDOZA
Member

386210AA:N2

Sept '12