

# C.V

# PERSONAL INFORMATION

Name : Assim tayseer al-balbesi Marital Status : Married (two kids)

Date and Place of birth : Amman, 27<sup>th</sup> February 1984

Nationality : Jordanian Phone : 962-6-5239228

Mobile : 966-5-93624181, 966-5-46984187,962-79-8084582

Mail : assim\_eng@yahoo.com

### **CAREER OBJECTIVE**

To become stable in a progressive and established company wherein my abilities, trainings and experiences will be applied.

A well experience, competent and adaptable Engineer with experience in different field of mechanical Engineering Projects such as Pre-Engineered Buildings, Housing Projects, Heavy Equipment Foundation, Under Ground Utilities and Trenches, Sewer Pipelines, Irrigation Projects, Water Line System for Buildings, Hydro Testing,

Got the knowledge and capability of implementing Project Quality Control Assurance Plan and the ability of designing for mechanical works, Evaluation data as to scope, Engineering practices, Saudi Aramco Engineering Standards (SAES), Saudi Aramco Test Inspection Plan (SATIP), Saudi Aramco Inspection Checklist (SAIC), Saudi Aramco Material System Specifications (SAMSS), American Society of Mechanical Engineers (ASME), American Society for Testing and Materials (ASTM), International Building Code (IBC), Uniform Building Code (UBC) and Occupational Safety and Health Administration (OSHA).

### **EDUCATION**

2002 - 2007: **Bsc.** Degree in Mechanical Engineer (Thermal and Hydraulic Machines), AL-Balqa' Applied University, faculty of engineering technology (Amman - Jordan).

# **WORK EXPERIENCE**

1. June 2008 -until now

Company : Al-Kifah Holding Company

P.O Box 7973, Dammam 31472 Kingdom of Saudi Arabia

**Projects** 

1. 097-C32 CONSTRUCTION OF JUC ADMINISTRATION BUILDING'S (RC-JUBAIL) Project No 097-C32 from 15/07/2016- until now

**ADMINISTRATION BUILDING'S FOR JUBAIL COLLAGE with site work (sanitary and storm and potable water and irrigation landscape)**, HVAC work, firefighting system & plumbing work.

Position : QC/QA Mechanical Engineer

2. 2C-2 CONSTRUCTION OF ADMINISTRATION BUILDING'S Hosing and facility Apartment (ARAMCO- DHRAN) Project No 2C-2 from 15/08/2017- 1/05/2018

ADMINISTRATION BUILDING'S Hosing and facility Apartment (6 BULDING 6 FLOOR ) with site work (sanitary and storm and potable water & irrigation landscape), HVAC work, firefighting system & plumbing work.

Position : SUPERVISOR QC/QA Mechanical Engineer

2. 815-C17 SEC INFRA & CONSTR. OF VILLAS-PHASE 10 (RC- JUBAIL) Project NO 815-C17 From 15/11/2012- 15/07/2016

307 villa and one mosque with site work (sanitary and storm and potable water and irrigation landscape) HVAC work ,plumbing work.

Position : QA/QC Mechanical supervisor

3. Construction of Apartments (RC-JUBAIL) FAMILY APARTMENT BUILDING3S Project No 802-C05 From 15/11/2009 - 10/11/2012

9 buildings and one mosque with site work(sanitary and storm and potable water and irrigation landscape) HVAC work, firefighting system, plumbing work.

Position : QA/QC Mechanical supervisor

# 3. Saudi Aram From 21/06/2008 - 15/11/2009

Hawtah Industrial and Commercial Expansion Southern Area Projects Department ,Nuayyim Crude Projects Division

- 1. Construction of Two-Story Residential Building
- 2. Construction of Gymnasium Building
- 3. Construction of Multi-Purpose Training Building
- 4. Construction of Toilet and Electrical Building
- 5. Construction of Electrical and Storage Building
- 6. Construction of Security I.D. Building
- 7. Construction of Administration Building Expansion Offices and Industrial facilities
- 8. Construction of Laundry and Kitchen Expansion Building
- 9. Construction of Airport Lounge Expansion Building
- 10. Construction of Swimming Pool Expansion
- 11. Construction of Tennis and Basketball Court
- 12. Construction of Soccer Field
- 13. Landscaping of Site Expansion

**Position: QA/QC Mechanical supervisor** 

# 2. From 1/06/2007 -22-5-2008

Company : UPB (United Pioneering Business For Trade And Investment LTD).

Amman - jordan

Sa	les	en	21	ne	er

_	D		1	1
	$R_{\Delta 1}$	Arc	and	burners
	13(71	-	and	Durings

□ Pumps

☐ Radiators

☐ Collectors and fittings for heating and cooling water systems

☐ Air conditioning (central and spilt units)

# 3. From 1/10/2006 to 25/05/2007

Office alfaide for mechanical engineering (mechanical design "water, heating, sewage" used AutoCAD)

### **DESIGN SKILLS:**

• Designing infrastructure (Potable water, Sewage, Rain drainage, Irrigation).

- Air-Conditioning design loads.
- Designing of sewer and water system inside the buildings.
- Firefighting system design.
- Calculate quantities.

# **COMPUTER SKILLS:**

- Good command using computer with all windows versions.
- Very good user of Microsoft office products.
- very good user AutoCAD 2013
- very good user primavera 2012.

# **COURSES**

Modern Air-Conditioning & Refrigeration Systems Technology From Automotive technology academy & Jordan engineers association.

# **LANGUAGES**

- Arabic Mother tongue
- English Good written and spoken

# **REFERENCES**

- Samer sheck mari, Phone: 966-5-93624167
- Ehab tayseer albabesli 967433973320





P.O. Box 13 - Pin Code 31982 T c 1:+966-3-5859802 F u x:+966-3-5859801

# ROYAL COMMISSION FOR JUBAIL AND YANBU MADINAT AL-JUBAIL AL-SINAIYAH CONSTRUCTION DEPARTMENT

# SUBMITTAL REVIEW

REVIEWER : JP/ H/V  DATE IN : /10/13/2010	1 WORK MAY PROCEED 3 REVISE AND RESUBMIT, WORK MAY NOT PROCEED NOT PROCEED
COMPLETE	2 REVISE AND NOT PROCEED  RESUBMIT, WORK MAY PROCEED SUBJECT TO 4 REVIEW NOT INCORPORATION OF CHANGES INDICATED
DOC/DWG NO 01-086-02 REV 2  DOC/DWG TITLE:	DISTRIBUTION REQUIRED? YES
CV of Engr. Assim Taiseer Al-Balbeesy (QC/Mechanical)	IMPORTANT: PERMISSION TO PROCEED DOES NOT CONSTITUTE ACCEPTANCE OR APPROVAL OF DESIGN DETAILS, CALCULATIONS ANALYSES, TEST METHODS OR MATERIALS DEVELOPED OR SELECTED BY THE SUPPLIER DOES NOT RELIEVE THE CONTRACTOR FROM HIS CONTRACTUAL OBLIGATIONS.
· C	SIGN / DATE 24/10/10
COMMENTS:	CONTRACT NO. ; 802-C05
COMMENTS MUST BE WRITTEN LEGIBLY	CONTRACT NO. , <u>802-005</u>
FOR TRANSMISSION TO CONTRACTOR	CONTRACTOR TRANS. NO. : 520
IMPORTANT:	RC TRANSMITTAL NO : 685
ACHIOLIAG BOOGISI E COMMENTO MUCT DE MOIT	CEN ON THE FORM OF ATTACHED BACKS CONNENTS WITHOUT
CAN ONLY BE POSSIBLE ON THE CONTRACTOR'S SU	TEN ON THIS FORM OR ATTACHED PAGES. COMMENTS WHICH IBMITTAL MUST BE INDEXED ON THIS FORM.
SERVICES IS SUBJECT TO ROYAL COMMISSION'S AF 2 STATUS, CONTRACTOR SHALL SUBMIT VENDOR AF	INT ONLY. USE OF FOREIGN MATERIALS, EQUIPMENT AND PROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OR PROVAL(WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
	THE STREET STREET, STR
T THE STATE OF THE	
-	
T	7.80
	INC.
¥79	1808
	VI PARAMETER STATE OF THE STATE
	100
111111111111111111111111111111111111111	
Saturday, October 16, 2010	

The state of the s



# ROYAL COMMISSION FOR JUBAIL AND YANBU MADINAT AL-JUBAIL AL-SINAIYAH CONSTRUCTION DEPARTMENT

# SUBMITTAL REVIEW

DATE IN : 3/3/2013	1 WORK MAY PROCEED  3 REVISE AND RESUBMIT, WORK MAY NOT PROCEED
COMPLETE	PRESUBMIT, WORK MAY PROCEED SUBJECT TO 4 REVIEW NOT INCORPORATION OF REQUIRED, WORK MAY
OOC/DWG, NO 01-049-01 REV:	1 CHANGES INDICATED
DOC/DWG TITLE:	DISTRIBUTION REQUIRED? YES
CV of Assim Taiseer Al Balbeesy for QC Engineer (Mechanical/Piping Works)	IMPORTANT: PERMISSION TO PROCEED DOES NOT CONSTITUTE ACCEPTANCE OR APPROVAL OF DESIGN DETAILS, CALCULATIONS AMALYSES, THAT METHODS OR MATERIALS DEVELOPED OR SELECTED BY THE SUPPLIES DOES NOT RELIEVE THE CONTRACTOR FROM HIS CONTRACTOR, OBLIGATIONS.
	SIGN: CO Z DATE 13 MAR 2013
COMMENTS:	CONTRACT NO. : 815-C17
COMMENTS MUST BE WRITTEN LEGIBLY FOR TRANSMISSION TO CONTRACTOR	CONTRACTOR TRANS. NO. : 213
	RC TRANSMITTAL NO : 048
IMPORTANT:	•
AS MUCH AS POSSIBLE, COMMENTS MUST BE V CAN ONLY BE POSSIBLE ON THE CONTRACTOR	WRITTEN ON THIS FORM OR ATTACHED PAGES, COMMENTS WHICH I'S SUBMITTAL MUST BE INDEXED ON THIS FORM.
SERVICES IS SUBJECT TO ROYAL COMMISSION	ONTENT ONLY. USE OF FOREIGN MATERIALS, EQUIPMENT AND I'S APPROVAL, ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OR
COMMISSION'S REVIEW. PROCUREMENT PRIOR	OR APPROVAL(WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW, PROCUREMENT PRIOR	OR APPROVALIWITH TECHNICAL SUBMITTAL PACKAGE) FOR ROTAL REPORTED THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW, PROCUREMENT PRIOF	R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	OR APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROTAL R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	OR APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROTAL R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	OR APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROTAL R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOF	OR APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROTAL R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOR	R TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
COMMISSION'S REVIEW. PROCUREMENT PRIOR	OR APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.



Sunday, November 20, 2016

# ROYAL COMMISSION FOR JUBAIL AND YANBU MADINAT AL-JUBAIL AL-SINAIYAH CONSTRUCTION DEPARTMENT

# SUBMITTAL REVIEW

- 1/1 - / 1/2	
REVIEWER : SB/AZ/RS/	1 WORK MAY PROCEED 3 REVISE AND
DATE IN : 11/20/2016	RESUBMIT, WORK MAY NOT PROCEED
COMPLETE	RESUBMIT, WORK MAY PROCEED SUBJECT TO 4 REVIEW NOT
DOC/DWG. NO <u>01-403-01</u> REV: <u>1</u>	INCORPORATION OF CHANGES INDICATED REQUIRED, WORK MAY
DOC/DWG TITLE:	DISTRIBUTION REQUIRED? YES
CV-QA/QC Mechanical Engineer-Assim Al Balbeesy	IMPORTANT: PERMISSION TO PROCEED DOES NOT CONSTITUTE ACCEPTANCE OR APPROVAL OF DESIGN DETAILS, CALCULATIONS ANALYSES, TEST METHODS OR MATERIALS DEVELOPED OR SELECTED BY THE SUPPLIER DOES NOT RELIEVE THE CONTRACTOR FROM HIS CONTRACTUAL OBLIGATIONS.
	SIGN: Day DATE 11/12/16
COMMENTS;	CONTRACT NO. : 097-C32
COMMENTS MUST BE WRITTEN LEGIBLY FOR TRANSMISSION TO CONTRACTOR	CONTRACTOR TRANS. NO. : 1235
	RC TRANSMITTAL NO :
	NO TRANSMITTAL NO .
MPORTANT:	
AS MUCH AS POSSIBLE, COMMENTS MUST BE WRI' CAN ONLY BE POSSIBLE ON THE CONTRACTOR'S S	ITEN ON THIS FORM OR ATTACHED PAGES. COMMENTS WHICH SUBMITTAL MUST BE INDEXED ON THIS FORM.
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	TENT ONLY. USE OF FOREIGN MATERIALS, EQUIPMENT AND APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OR APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL OF THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL
SERVICES IS SUBJECT TO ROYAL COMMISSION'S A	APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF APPROVAL (WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL

Accessorable of sales	100
arisdimini dizodi.	
Soudi Arames	

# AJYAL HOME OWNERSHIP PROGRAM Transmittal Form (TR)



TR#;	01-15-00	013-TR-000-0228		Rev. #: 01			Date: .	July 25, 2017
Contrac				acting Company (KCC)	SUBMITTED	CODE	ACTION	CODE
Contrac				NITY FACILITIES APARTMENT 2C-2	FORACTION	1	NO OBJECTION	-
Contrac	t No.:			500039420	FOR INFORMATION	2	NO OBJECTION AS NO BEVISE AND RESUBM	
To:		PROJEC	T MANAGER	Atten.: Engr. Pierre G. Bechara- Dib			REJECTED	D
			WE ARE SENDING HEREV	WITH THE DRAWING / DOCUMENTS LISTED BELOW. (DELETE AS NECE	SSARY)			
ITEM	QTY.	Dwgs., Specs. or BOQ Ref.	DOCUMENT / DRAWING NO.	DESCRIPTION	TYPE OF	DISCPL		ODE
HEM	qir.	Dwgs., specs. or BOQ Ref.	DOCUMENT / DRAWING NO.	DESCRIPTION	SUB*	DISCPL	SUBMIT. FOR	ACTION
				Contract No. 6600039420				
				Al Kifah Contracting Company	1 1		1 1	7.223
		1 1			1 1		1 1	В
1	2		01-15-00013-TR-000-0228		OTHER	OTHER	1	
				C.V FOR QC Mechanical Supervisor	1 1		1 1	
				(Assim tayseer al-balbesi)	1 1		1 1	
_								
					1 1			
-	_				_		_	
_								
					1			
Dalyana	endelment in	allowed to be submitted unde	this terminated		+	_	_	
	NTRACTO		t tris transmittar			_		
Name:		Engr. Amr	Ewis	Signatures		Da	ite: July 2	5, 2017
•Туре	of Submi	ittal: 60=60% Design Dra TT=Test  MD=Mft	owings 90-90% Design Draw s Dats CA=Calculations	vings IFC=Issue for Const. SD=Shop Drawing TE=Tec CT=Certificates SP=Specification CI=Cata	hnical GT=Gu alogues Other:	arantee		
••Discip	*Discipline: AR = Arch.   ME = Mech.   ST = Structural   EL = Elect./Telecom   IS = Infra.   LD = Landscape   HSE   QA/QC   PCS   PR=Proc.   CN=Contractual   Others:							
		Reviewed for General A	Acceptance. This review does not n	elieve the Contractor of his responsibility for making the work confor	m to the requireme	ents of th	e Contract	
_				•				
Re	oly and	Comments if Any:			/- A	-		
	NO C	BJECTION	SUBJECT TO K	E-EVALUATION AFTER THREE	(03) MON	THS		
						_		
					09	101	11/2/13	
					10 PM	1	W.	8
				- A Alex Company	133	-	- 4	(3)
-				AL-Kifah Contracting Company	107	-01	IED	=
_				SDHO- Package 2C-2	1 ES	35	00	-0
					100	0	MIG 2011	E=
				Recleved Macil	103 (	1		En
				on sun la	(3.5)	00	CSFU	100
-	-			Onte-1 / O / K	100	He	XC2.	100
	_			Signature :	10			W
					101	-	- 5	1
				11001	1	100		
				710	1 m			
					1			
Correcti	on or con	nments made relative to sul	omittals during this review DO	NOT relieve the contractor from compliance with the requirer	ments of drawing	s and so	ecifications. This c	heck is only fo
raview o	f general	conformance with design c		/ / / / / / /				
SAP	TI I	PMT/CMT					te: 8/2/	2017
Name:	h	SHIM AIM	such/	Signature:		Da	te: 0/0/	017
_	4/10		CALISON V				-	

NA



### ROYAL-COMMISSION FOR JUBAIL AND YANBU MADINAT AL-JUBAIL AL-SINAIYAH CONSTRUCTION DEPARTMENT

# SUBMITTAL REVIEW

Or shop	
REVIEWER :	1 V WORK MAY PROCEED 3 REVISE AND
ATE IN : 3/30/2016	2 REVISE AND RESUBMIT, WORK MAY
OMPLETE	RESUBMIT, WORK MAY PROCEED SUBJECT TO 4 REVIEW NOT
	PROCEED SUBJECT TO 4 REVIEW NOT INCORPORATION OF REQUIRED, WORK MAY 1 CHANGES INDICATED
DOC/DWG TITLE:	DISTRIBUTION REQUIRED? YE
Superintendent (Mechanical) - Assim Taiseer Al Balbeesy	IMPORTANT: PERMISSION TO PROCEED DOES NOT CONSTITUTE ACCEPTANCE OR APPROVAL OF DESIGN DETAILS, CALCULATIONS ANALYSES, TEST METHODS OR MATERIALS DEVELOPED OR SELECTED BY THE SUPPLIER DOES NOT RELIEVE THE CONTRACTOR FROM HIS CONTRACTUAL OBLIGATIONS.
	SIGN: 1. DATE 06/04/2016
COMMENTS:	CONTRACT NO. : 815-C17
COMMENTS MUST BE WRITTEN LEGIBLY FOR TRANSMISSION TO CONTRACTOR	CONTRACTOR TRANS. NO. : 1497
IMPORTANT:	RC TRANSMITTAL NO : 404
AS MUCH AS POSSIBLE, COMMENTS MUST BE WE CAN ONLY BE POSSIBLE ON THE CONTRACTOR'S	RITTEN ON THIS FORM OR ATTACHED PAGES, COMMENTS WHICH SUBMITTAL MUST BE INDEXED ON THIS FORM.
SERVICES IS SUBJECT TO ROYAL COMMISSION'S 2 STATUS, CONTRACTOR SHALL SUBMIT VENDOR	NTENT ONLY. USE OF FOREIGN MATERIALS, EQUIPMENT AND APPROVAL. ONCE THIS TECHNICAL SUBMITTAL IS GIVEN CODE 1 OF A APPROVAL(WITH TECHNICAL SUBMITTAL PACKAGE) FOR ROYAL TO THIS APPROVAL IS DONE AT THE CONTRACTOR'S OWN RISK.



استنادا الى قرار مجلس العمداء رقم ٢٠٠٧/٠٠٠ تاريخ ٢١/١٠٠٧ منح

# عاصم تيسير حالع البلبيسي

المولود في عمان عام ١٩٨٤ والمتمتع بالجنسية الاردنية

بكالوريوس في الهندسة التكنولوجية

تخصص هندسة الآلات الحرارية والهيدروليكية/ الهندسة الميكانيكية

من كلية الهندسة التكنولوجية

بمعدل ( ۲,۳۷ من ۰۰,٤)

نقطتين و سبعة و ثلاثين بالمئة من النقطة من أربع نقاط ( تقدير مقبول)

وذلك بنتيجة امتحانات الفصل الدراسي الاول ٢٠٠٧/٢٠٠٦





# Admission & Registration Directorate Al-Balqa' Applied University

# CERTIFICATE

In Accordance with Al-Balqa' Applied University law and the results of examinations held at the

Faculty of Engineering Technology

The Dean's council decided on 13/02/2007 to award

# ASSIM TAEASEAR SALEAH AL-BALBASE

Born in Amman at 1984

The B.Sc. Degree in "Thermal and Hydraulic Machines Engineering" with an average of (2.37 out of 4.00) with a rate of (Satisfactory).

Faculty Registrar

Faculty Dean

Thazi Al-Marahleh

Me Applied

\* Annuan on 24/04/2007

\* N.B. any erasure or alteration in the above will invalidate this document.



Advance Learning Interactive Systems Online

# CERTIFICATE


THIS IS TO CERTIFY THAT

**Asem Balbase** 

HAS COMPLETED THE

**Back Care and Manual Handling (Theory)** 

COURSE



DATE OF AWARD







# ROYAL COMMISSION FOR JUBAIL AND YANBU ROYAL COMMISSION IN JUBAIL CONSTRUCTION DEPARTMENT

# **NON-TECHNICAL SUBMITTAL REVIEW - Contractor Copy**

Contract No.: 097-C32	
CONTRACTOR SUBMITTAL NO 2374 Doc. No: 01-929-00	X 1 Work May Proceed 3 Revise and Resubmit, Work May Not Proceed
RC TRANSMITTAL No:	2 Revise and Resubmit, 4 Review Not Required
TITLE: CV of Assim Tayseer Al-Balbesi as Mechanical	Work May Proceed subject to incorporation of Work: changes and comments
Superitendent	May Proceed
	May Not Proceed
	Note: Permission to proceed does not constitute acceptance or approval of design details, calculation analyses, test methods or materials developed or selected by the supplier does not relieve the contractor from his contractual
	obligations.
	Mohammed, Younus Younus Mohammed Delic 2016, 11-30 15:06.00 4-03007 30 Nov 19
	Resident Engineer SIGNATURE DATE
Notes	
Note:	attached. Comments which can only be possible on the contractor's
submittal must be indexed on this form	mached. Comments which can only be possible on the contractor's
commission's approval. Once this technical submittal is gi	f foreign materials, equipment and services is subject to royal iven code 1 or 2 status, contractor shall submit vendor approval(with
technical submittal package) for royal commission's revieu	w. Procurement prior to this approval is done at the contractor's own risk.