

# CapablePeople



## ISO 9001:2015 Auditor Transition Training (Modules 1 & 2)

(Course Numbers A18047 & A18048 certified by the IRCA)

This is to certify that

### Muhammad Rizwan

Successfully completed this course, approved by  
the International Register of Certificated Auditors,  
on

13<sup>th</sup> & 14<sup>th</sup> February 2017

**Shaun Sayers, Capable People**  
Certificate Number: 9001:2015TC-6686



CERTIFIED COURSE



A017589

**Muhammad Rizwan**

has successfully completed the

**Quality Management System Auditor /  
Lead Auditor Training Course Based on  
ISO 9001:2008 (A17592)**

Held at  
RICI Training Center  
Sunday, September 28, 2014 to Thursday, October 2, 2014

By passing continuous assessment and written examination

This Course is certificated by International Register of Certificated Auditors (IRCA). This Course meets the formal training requirements for individuals seeking certification under IRCA QMS Auditor Certification Scheme and for this purpose this certificate is valid for 3 years from the date of completion

Issued By:

Resource Inspections Canada Incorporated  
41 Bevan Crescent, Ajax, On, Canada, L1T4P4

[www.ricionline.com](http://www.ricionline.com)



PBTE/DAE/

40105

Sr. No. 027913

Reg. No. GCT/RSL/CT/99-1354

Roll No. 17568



# PUNJAB BOARD OF TECHNICAL EDUCATION, LAHORE

SESSION 2003

(FIRST/~~SECOND~~ ANNUAL)

Certified that MUHAMMAD RIZWAN  
 son daughter of GHULAM NABI  
 of the GOVERNMENT COLLEGE OF TECHNOLOGY, RASUL  
 has satisfactorily completed the Three Year Programme of instructions in  
CIVIL Technology and has passed the  
 Examination held in JUNE, 2003 as a whole / ~~by parts~~ securing  
1818 marks out of 3350 and has been placed in C Grade / ~~Division~~.

In recognition thereof this  
**DIPLOMA OF ASSOCIATE ENGINEER**

is awarded at Lahore on the 08-02-2005

*M. Akmal*  
 Secretary



## OFFICIAL TRANSCRIPT

B-Tech (Pass) Program

**Registration No.** : 16C2-308016  
**Name** : Muhammad Rizwan  
**Father's Name** : Ghulam Nabi  
**Specialization** : Civil Technology

**Date of Birth** : December 10, 1981  
**Serial No.** : 14110913978  
**Issue Date** : September 24, 2009  
**Page No.** : 1 of 1

Subjects	Credit hrs	Grade	Grade pts		
<b>First Semester</b>					
Surveying and Leveling	3	D	3.0		
Electrical Technology	3	A	11.1		
Strength of Material	3	B	9.0		
Islamic Studies	3	B+	10.5		
Applied Mathematics	3	B+	10.5		
<b>Total</b>	<b>15</b>		<b>44.1</b>	<b>Sem GPA</b>	<b>2.9</b>

<b>Second Semester</b>					
Functional English	3	B+	10.5		
Public Health Engineering	3	C	6.0		
Computer Applications	3	B+	10.5		
<b>Total</b>	<b>9</b>		<b>27.0</b>	<b>Sem GPA</b>	<b>3.0</b>

<b>Third Semester</b>					
Highway Engineering	3	C+	7.5		
Irrigation Engineering	3	D+	4.5		
Pakistan Studies	3	B+	10.5		
Geology	3	B+	10.5		
Concrete Technology	3	C+	7.5		
Project	6	B	18.0		
<b>Total</b>	<b>21</b>		<b>58.5</b>	<b>Sem GPA</b>	<b>2.8</b>
<b>G. Total</b>	<b>45</b>		<b>130.0</b>	<b>Cum. GPA</b>	<b>2.9</b>

**Result Summary**  
 No of Courses Passed = 14  
 No of Courses Transferred = 0  
 No of Subject Studied = 14  
 No of Courses Required For Degree = 14

# Preston Institute of Management, Science and Technology

Karachi - Pakistan


Preston Institute

This is to Certify That  
Muhammad Rizwan


has satisfactorily and completely fulfilled all requirements for the prescribed studies and the examinations of the Institute, and has, therefore, been admitted to the Degree of

Bachelor of Technology (Pass)  
in Civil Technology

In testimony whereof, this Degree has been issued under authorized signatures and official seal of the Institute, on this eleventh day of March 2010.

  
Rector



  
Registrar



## Auditor

Name	Eng Muhammad Rizwan
Scheme	QMS - 2015
Certification no.	6107767
Expiry Date	Feb /23

**SAUDI ARAMCO**  
**TANAJIB GAS PLANT PROJECTS DEPARTMENT**  
**INFRASTRUCTURE & THIRD PARTY COORDINATION DIVISION**  
 SAPMT Site Office, Tanajib  
 Tel: (013) 343-7310

**DOCUMENT TRANSMITTAL**

Transmittal No.: SA-TGPPD-UTR-T-166/2021 Date: March 28, 2021

To: Branch of Sinoyhydro Corporation Limited  
P. O. Box 53337, Riyadh 12333, KSA Contract / BI No. 6600046061

Attn.: Li Shixiong, Contractor Representative

Copy:

- |   |   |                                  |
|---|---|----------------------------------|
| <input type="checkbox"/> Administration | <input type="checkbox"/> Project Engineer | <input type="checkbox"/> Control |
| <input type="checkbox"/> QA / Material  | <input type="checkbox"/> Safety           | <input type="checkbox"/> File    |

Transmitted herewith are the following:

DOCUMENT TYPE		
<input type="checkbox"/> CALCULATION(S)	<input type="checkbox"/> DRAWING(S)	<input type="checkbox"/> FORM(S)
<input type="checkbox"/> LETTER(S)	<input type="checkbox"/> REPORT(S)	<input type="checkbox"/> OTHER DOCUMENT(S)

TYPE OF ACTION				
<input type="checkbox"/> ACTION	<input type="checkbox"/> INFO/USE/RECORD	<input type="checkbox"/> REVIEW	<input checked="" type="checkbox"/> UPDATE	<input type="checkbox"/> OTHERS

ITEM NO.	REFERENCE	DESCRIPTION
1	RTA-UTR-O-GA-047-02	Re-Evaluation for Proposed CV of Mr. Muhammad Rizwan, QA-QC Manager



**REMARKS:**  
 No Objection Please refer to attached PID comments thru TGPPIS-L-036-2021

Transmitted by:

*Nabeel M. Al-Janahee* MARCH 29, 2021  
**NABEEL M. AL-JANAHI**, Ld. Project Engineer  
 TGPPD/I&TPCD/Early Works/Site Prep & Roads

*KS*

<b>Received by:</b>	
Name: _____	Date: _____
Signature: _____	

<b>Upstream Project Inspection Division</b> <b>Tanajib Gas Plant Project Inspection Section/Site Prep, ISF, SSF Unit</b>  Phone: (013) 343 731 Fax: 0		Letter Number		
		TGPPIS - L - 36 /2021		
		Received Date	DCN	
		16-Mar-21	47	
To	Name:	Hesham Y. Al-Jaiban		
	Position:	Project Manager		
	Division:	TGPPD / Infrastructure & Third Party, O&M		
	Address:	R-R-9A, Floor 1, Mipd Construction Site Office Tanajib		
Phone #:	13 802-1354	Fax #:		
Attention:	Nabeel M. Al-Janahi	Contractor	Branch of SinoHydro Corporation Limited	
JO/BI:	6600046061 / 10-02454-0004	Title:	UPGRADE TANAJIB ROADS	
PMT Transmittal No.:	SA-TGPPD-UTR-PID-T-041-2021	Subject:	Re-Evaluation for Proposed CV of Mr. Muhammad Rizwan, QA-QC Manager	
Contractor Ref. No.:	RTA-UTR-O-GA-047-02			
Name	Title	Review Status	Status Definition	
Mr. Muhammad Rizwan	QA/QC Manager	1	Approved	
Remarks				
1. Mr. Muhammad Rizwan is approved as SinoHydro QA-QC Manager and is limited for Upgrade Tanajib Roads Project - Pkg. 15 only. 2. Contractor to update the QA/QC organizational chart reflecting the changes for review/approval. 3. PID reserves the right to revoke the approval should his performance found to be unsatisfactory.				
Attachments Enclosed		Correct and Re-submit		
<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	
Reviewer Name	Signature	Date	Reviewed by	
Loai M. Al-Owa Supvr., Project Inspection Site Prep, ISF, SSF Unit		24-Mar-21	 WNG	



**SAUDI ARAMCO**  
**MARJAN INCREMENT PROJECTS DEPARTMENT**  
**SITE PREPARATION, DESALINATION, PIPELINES & COMMUNITY DIVISION**

3rd Floor, Karawan Tower B  
 King Faisal Road (Al-Bustan Area), Al-Khobar  
 Tel: (013) 668-5555 Ext. 2332

**DOCUMENT TRANSMITTAL**

Transmittal No.: MIPD/SPDP&CD/T-SP-0190/2018

Date: December 16, 2018

To: Al-Shalawi International Holding Company,  
PO Box 2853, Al-Khobar 31952

Contract / BI No. 6600042273

Attn.: Khalid Javid, Contractor Representative

Copy:

- |   |   |                                  |
|---|---|----------------------------------|
| <input type="checkbox"/> Administration | <input type="checkbox"/> Project Engineer | <input type="checkbox"/> Control |
| <input type="checkbox"/> QA / Material  | <input type="checkbox"/> Safety           | <input type="checkbox"/> File    |

Transmitted herewith are the following:

DOCUMENT TYPE		
<input type="checkbox"/> CALCULATION(S)	<input type="checkbox"/> DRAWING(S)	<input type="checkbox"/> FORM(S)
<input type="checkbox"/> LETTER(S)	<input type="checkbox"/> REPORT(S)	<input type="checkbox"/> OTHER DOCUMENT(S)

TYPE OF ACTION				
<input type="checkbox"/> ACTION	<input type="checkbox"/> INFO/USE/RECORD	<input type="checkbox"/> REVIEW	<input checked="" type="checkbox"/> UPDATE	<input type="checkbox"/> OTHERS

ITEM NO.	REFERENCE	DESCRIPTION
1	RTA-UMIP-SP-O-GA-164	Subcontractor: TREVI-Arabian Soil Contractors - CV for Proposed QC Managers 1) Muhammad Rizwan 2) Ronico Avila Clemente. *****nothing follows*****

REMARKS:

No Objection As Noted for Muhammad Rizwan. Rejected for Ronico A. Clemente (Please refer to attached PID comments thru MPIS-L-79-2018)

Transmitted by:

*ASA  
SHA*

*N. M. Al-JanaHi*  
**NABEEL M. AL-JANAHI, Lead Project Engineer**  
 Site Prep., TCF & Over Head Transmission Line

Received by:	AL SHALAWI INTL. CO ARAMCO MARJAN INCREMENT PROJECTS CONTRACT NO: 6600042273 <b>RECEIVED</b>	Date:
Name:		
Signature:	<b>11 7 DEC 2018</b>	

Received by: *[Signature]*  
 Time: *[Signature]*



# REQUEST FOR TECHNICAL APPROVAL

CONTRACTOR: **AL-SHALAWI INT'L. HOLDING CO.**  
 P.O. Box 2853 Al-Khobar 31952 K.S.A.  
 Date: 12-Dec-2018  
 Day Month Year

TO: **Bunayan H. Al-Mustenair**  
 Company Representative  
 R-14, 3rd Flr. Karawan Tower B  
 King Faisal, Road, Al-Khobar  
 K.S.A

CONTRACT NO. 6600042273  
 J.O. NO. \_\_\_\_\_

PROJECT TITLE: Marjan Site Preparation Project

LOCATION: TANAJIB

REFERENCE SUBMITTAL NO. \_\_\_\_\_  
 New Submittal  
 Re-submittal

ATTN: **Nabeel M. Al-Janahi**  
 Lead Project Engineer

RTA-UMIP-SP-O-GA-164

NO. OF COPIES: 3


TO LINE ITEM NO. \_\_\_\_\_

DIVISION NO. 1

REFERENCE  
 Contract A, 13 / O, 5.8

SUBMITTAL CODE:  
 A  ARCHITECTURAL  
 C  CIVIL  
 S  STRUCTURAL  
 M  MECHANICAL  
 E  ELECTRICAL  
 O  OTHERS

ITEM No:	DESCRIPTION	MANUFACTURER/VENDOR	CATALOG, SPECS. PARAGRAPH, OR DRWG. NUMBER	(FOR SAUDI ARAMCO USE ONLY) COMMENTS
1	Subcontractor: TREVI-Arabian Soil Contractors CV for Proposed QC Managers 1) Muhammad Rizwan 2) Ronico Avilia Clemente		CVs Attached	



These documents have been reviewed for general conformance with the Contract  
 Such review does not relieve the Contractor of his responsibilities under the terms of the Contract nor authorize additional compensation.

NO OBJECTION  **ASA**  
 NO OBJECTION AS NOTED   
 CORRECT & RESUBMIT   
 REJECTED

SUBMITTED BY: [Signature]  
 Khalid Javaid  
 Contract Representative

Name & Signature of Contractor Representative

Date: 12-Dec-2018

Name & Signature of SAUDI ARAMCO Representative  
[Signature]  
 Nabeel M. Al-Janahi  
 Date: \_\_\_\_\_  
 Tel. 668-5555 Ext. \_\_\_\_\_


Approved Materials Delivered to Site:  
 Saudi Aramco Site Supt.: \_\_\_\_\_  
 Date: \_\_\_\_\_

<b>Upstream Project Inspection Division</b> <b>Marjan Project Inspection Section/Site Preparation Package (TGP)</b>		<b>Letter Number</b> MPIS - L - 79 /2018	
Group: Phone: 6782559		Fax: 0	
		<b>Received Date</b> 13-Dec-18	<b>DCN</b> 97


<b>To</b>	<b>Name:</b>	Abdulahman H. Al-Askar		
	<b>Position:</b>	Lead Project Engineer		
	<b>Division:</b>	SPDP&CD		
	<b>Address:</b>	3rd Flr., Karawan Tower B King Faisal Rd. (Al-Bustan Area), Al-Khobar		
	<b>Phone #:</b>	013-668-5555 ext. 2332	<b>Fax #:</b>	0
<b>Attention:</b>	Caisip, Roberto D.	<b>Contractor</b>	Al-Shalawi Int'l. Holding Co.	

<b>JO/BI:</b>	6600042273 / 10-09003	<b>Title:</b>	Site Preparation, Desalination, Pipelines & Community Division	
<b>PMT Transmittal No.:</b>	MIPD-SPDP&CD-T-0147-2018	<b>Subject:</b>	Subcontractor: TREVI - Arabian Soil Contractors CV for Proposed QC Managers 1) Muhammad Rizwan 2) Ronico Avilia Clemente	
<b>Contractor Ref. No.:</b>	RTA-UMIP-SP-O-GA-164			

Name	Title	Review Status	Status Definition
Muhammad Rizwan	QC Manager	2	Approved w/ comments
Ronico Avilia Clemente	QC Manager	3	Rejected

<b>Remarks</b>	
Mr. Muhammad Rizwan was interviewed and granted conditional approval as QC Manager position of TREVI - Subcontractor of Compaction Works of TGP Site Preparation Package .	
	

Note: Approval is conditional subject to his performance in the field which shall be evaluated by Saudi Aramco on a regular basis. If his performance falls short of expectation or satisfaction of the company then Saudi Aramco shall have the right to revoke his approval at anytime.

Status Definition: 1 - Approved; 2 - Approved w/ comments; 3 - Rejected; 4 - For Interview; 5 - See Remarks			
<b>Reviewer Name</b>	<b>Signature</b>	<b>Date</b>	<b>Reviewed by</b>
Owa, Loai M. Project Quality Leader Marjan Increment Program Site Preparation		15-Dec-18	SM / FAG



شركة عبدالله سعيد السيد  
وشركاه للمقاولات ذ.م.م  
A.S.ALSAYED & PARTNERS  
CONTRACTING CO. LTD

Ref: AS/LET/072

Date: June 26, 2018

**TO : MR. TOWFIQ A. AL-ABDULHADI**  
**Project : Community Support Facilities – Package3**  
**Contract No : 6600039701 - BI 10-077801**  
**Subject : ANNUAL LEAVE FOR QA/QC MANAGER -**  
**Mr. Akram Boles Mikhael (From: July.25 to August.19, 2018)**

**ATTN : MR. WALEED SAFARJI**

Gentlemen,

With reference to the above-mentioned subject, we would like to inform you that our QA/QC Manager, Mr. Akram Boles Mikhael will commence his annual leave for the period from 25<sup>th</sup> July 2018 to 19<sup>th</sup> August 2018. During his annual leave QC Supervisor, Mr.Mohammed Rizwan will take over his responsibilities/duties during this period.

This is for your information & Record.

Respectfully,

A.S. Alsayed & Partners Contracting Co. Ltd.  
Sameh Elsayed Mohammed Khalil  
Project Manager - COMMUNITY SUPPORT FACILITIES / PACKAGE – 3



# Dhahran Community Expansion Projects Division - Increment I (SAPMT)



## DOCUMENT TRANSMITTAL

Transmittal No.:	TR-01382-2017-3924	Date	19-Dec-17
To:	SAMEH ELSAYED Project Manager Abdullah Al-Sayed & Partners Contracting Co. LTD.	From:	WALEED A. SAFARJI Senior Project Engineer Dhahran Community Expansion Projects Division - Increment I (SAPMT)
Document Type:	Technical Approval	Package:	Package 3
Aramco Reference No.:	AS3-305	Contractor Reference No.:	001-193

### Description:

Proposed QC Civil, Architectural Supervisor - Mr. Muhammed Rizwan.

### Remarks:

No Objection.

Transmitted By		Received By	
Name:	Jose Cecilio B. Macarasig	Name:	
Date:	19-Dec-17	Date:	
Signature:		Signature:	

<p><b>A.S.ALSAYED &amp; PARTNERS</b>  <b>CONTRACTING CO. LTD</b>  P. O. Box: 63796 King Saud Street, Dammam - 31526  Saudi Arabia</p>		<p><b>السعودية</b>  <b>Saudi Aramco</b>  Date: 09/12/2017</p>	
<b>REQUEST FOR TECHNICAL APPROVAL</b>			
<b>To:</b> Towfiq A. Al-Abdulhadi Project Manager Expand Dhahran Community Projects Division - Increment I	<b>CONTRACT NO.:</b> 6600039701 <b>B.I./O NO.:</b> 10-077801 <b>PROJECT TITLE:</b> Community Support Facilities - Package 3 <b>LOCATION:</b>	<b>NO OF COPIES:</b> 3 <b>SUBMITTAL CODE:</b>	<input type="checkbox"/> ARCHITECTURAL <input type="checkbox"/> CIVIL <input type="checkbox"/> STRUCTURAL <input type="checkbox"/> MECHANICAL <input type="checkbox"/> ELECTRICAL <input checked="" type="checkbox"/> OTHERS <b>MANAGEMENT:</b>
<b>Attn:</b> Waleed Safarji, Senior Project Engineer Expand Dhahran Community Projects Division - Increment I	<b>REFERENCE SUBMITTAL NO.</b> 001-193	<input checked="" type="checkbox"/> NEW SUBMITTAL <input type="checkbox"/> RESUBMITTAL	<b>MANUFACTURER (S)</b> <b>VENDOR (S)</b>
<b>ITEM NO</b>	<b>DESCRIPTION</b>	<b>CATALOG / SPECIFICATION PARAGRAPH / DRAWING NO</b>	<b>COMMENTS</b> (FOR SAUDI ARAMCO USE ONLY)
1	Proposed QC Civil / Architecture Supervisor (Mr. Muhammed Rizwan)	AL SAYED	Please refer to the attached letter # L-2878/2017, dated on December 12, 2017.
<b>RECEIVED</b> <b>10 DEC 2017</b> DEPT. I / SAPMT - DCC By: ..... Time: .....		<b>APPROVED BY:</b> Waleed Safarji Senior Project Engineer Expand Dhahran Community Projects Division - Increment I	
Having checked this submittal, we certify that it conforms to the requirements of the Contract Documents in all respects, except as otherwise indicated in the letter of transmittal		<input checked="" type="checkbox"/> NO OBJECTION <input type="checkbox"/> NO OBJECTION AS NOTED <input type="checkbox"/> CORRECT & RESUBMIT <input type="checkbox"/> REJECTED	<b>APPROVED BY:</b> Waleed Safarji Senior Project Engineer Expand Dhahran Community Projects Division - Increment I
<b>SUBMITTED BY:</b> Sameh Elsayed Proposed Project Manager A. Alsayed & Partners Contracting Co. Ltd		This (ese) document(s) have been reviewed for general conformance with the contract such review does not relieve the contractor of his responsibilities under the terms of the contract nor authorize additional compensation	
<b>Name &amp; Signature of Contractor's Rep.</b> 		<b>Name &amp; signature of Saudi Aramco Rep.</b> 	
<b>Date</b> December 9, 2017		<b>Date</b> 12/19/17	

**INSPECTION DEPARTMENT**  
**C&PPID / COMMUNITY & PUBLIC PROJECT INSPECTION SECTION**  
 11<sup>th</sup> Floor West Wing Al-Midra Tower Bldg. Dhahran  
 ☎ 013-880-14720, ☎ 013-875-8330

**QA/QC Personnel Review Response Sheet**

Letter No.: C&PPIS/L-2578/2017 Date: December 12, 2017

SUBMITTING SAUDI ARAMCO ORGANIZATION:

To: **TOWFIQ A. AL-ABDULHADI - Project Manager**  
 Department: COMMUNITY & PUBLIC PROJECTS DEPT / DH COMMUNITY EXPANSION PROJECTS - Increment I  
 Telephone: 13-862-0800 Fax:  
 Address: R-003, Floor 1, SAPMT Site Office Bldg. (BI-10-077801) Dhahran  
 Attention: **Waleed A. Safarji – Senior Project Engineer**

**REVIEW STATUS**

- 1 - Accepted
- 2 - Accepted with Comments
- 3 - Reviewed with Comments
- 4 - Reviewed with No Comments
- 5 - Received for Information
- 6 - Rejected
- 7 - Conditionally Approved\*

Notes:  
 - \* For Quality Personnel Only.  
 - Status 3, 6 & 7 requires resubmission




BI / JO #	PROJECT TITLE	Contractor's Name:	Contractor's Contract No.
BI-10-077801	Community Support Facilities-Package 3	A.S. Alsayed & Partners Contracting Co. LTD	6600039701
Project Management Transmittal Reference: TR-77801-092/17-PID		Contractor Transmittal Reference: 001-193	
Subject	Al Sayed - Proposed QC Civil/Architectural Supervisor - Mr. Muhammed Rizwan. (Rev.0).		

**REVIEW COMMENTS**

Name:	Job Title	Review Status	Comments
Mr. Muhammed Rizwan	QC Civil/Architectural Supervisor	<b>1</b>	The proposed candidate, <b>Mr. Muhammed Rizwan</b> , meet the minimum requirements stipulated in Schedule Q as Quality Control Supervisor. He has a University degree with more than 15 years' experience directly related to supervision and inspection of construction activities. However, if He is found not dedicated to his work, DhCEPIU has the right to revoke his approval anytime.

Note :

This COMPANY Review shall not relieve the CONTRACTOR from responsibilities of the accuracy of the technical documents provided.

Reviewer:	Signature & Date:  12/12/17	CC:	DCN : 1393
LAURENCE B. MARIANO	Contact No.: 056-7109582	Project File ( original ) Letter Book e-cabinet	
Supervisor:	Signature & Date:  DEC. 12, 2017	Attachment: ( Y / N )	
MOHAMMED S SUBHI	Contact No.: 13- 862 0999		

By:   
 Time: .....



## ARAMCO PACKAGE 4 PROJECT - DOCUMENT DISTRIBUTION MATRIX

Correspondence No. TR-01382-2016-4104 Date: 16/8/2016

Subject: **Re-evaluation Of CRCC's QC Architectural Supervisor Mr.Muhammad Rizwan (Rev.01)**

Code	Title	Action	Info	Recipients	Remarks
<b>Project Management</b>					
PM	Project Manager		✓	Sun Shangxing 孙尚兴	
DPM1	Deputy Project Manager		✓	Li Zhangping 李章平	
DPM2	Deputy Project Manager		✓	Yan Wanli 闫万里	
LCE	Deputy Project Manager		✓	Xiong Ying 熊鹰	
LAE	Deputy Project Manager		✓	Ji Jianguo 纪建国	
IM	Deputy Project Manager		✓	Si Liang 司亮	
SM	Deputy Project Manager		✓	Fan Shaoqiang 范绍强	
DM	Design Manager		✓	Anthony Yu 余荣升	
<b>Quality Department</b>					
QAM	Quality Assurance Manager	✓		Saleh AlQatani 萨莱	
QCM	Quality Control Manager	✓		Azeem Akhtar	
QCI	QC Civil Inspector	✓		Muhammad Hassan	
QDC	Quality Document Controller	✓		Aamir Ali 阿米尔	
<b>HSE Department</b>					
HSEM	HSE Manager			Ahmad Awad	
SS	Safety Supervisor			Hatem Fahad Al-Herz	
EC	Environment Coordinator			Usman Raza	
<b>Construction Department</b>					
CM	Construction Manager			Hossam Elsayed	
SM	Site Manager			Zhang Jintao 张金涛	
CCT(C)	Construction Technical Team (Civil)			Feng Tuosheng 冯佗生	
CCT(C)	Construction Technical Team (Civil)			Zeng Feng 曾峰	
CE	Construction Technical Team (Civil)			Yang Xiaoqi 杨晓奇	
MEPE	Construction Technical Team (MEP)			Zheng Yanhua 郑彦华	
MEPE	Construction Technical Team (MEP)			Li Lin 李麟	
MEPE	Construction Technical Team (MEP)			Li Jian 李健	
MEPE	Construction Technical Team (MEP)			Jiang Changxiu 蒋长秀	
<b>Commercial Department</b>					
CMM	Commercial Manager			Muhammad Jahangir 章盖尔	
CMM	Commercial Officer			Zhang Guanghao 张光豪	
<b>HR Department</b>					
HRM	Human Resources Manager			Mamdouh albatati 曼杜尔	
	HR Assistant Manager			Faisal Alsahli	
HRA	HR Assistant			Sulthaf Mohamed	
<b>Procurement Department</b>					
PrM1	Procurement Manager 1			Hong Lei 洪磊	
PrM2	Procurement Manager 2			Zhang Ning 张宁	
PrQC	Procurement QC Supervisor			Muhammad Shafqal 沙夫卡特	
PrMS	Procurement Material Specialist			Waqar Ahmed	
<b>Planning Department</b>					
	Planning Manager			Abdelaziz	
PE	Planning Engineer			Mujtaba Yaseen	
<b>Cost Control</b>					
CCM	Cost Control Manager			Tian Bin 田滨	
<b>Document Control Center</b>					
DCM	Document Control Manager			Xing Zhanying 邢占英	
NOTE: All the recipients are fully responsible for their internal department distribution.		Distribution Stamp:		<b>DISTRIBUTED</b>	
		Date: _____			



Expand Dhahran Community Projects Division  
Increment I (SAPMT)



**DOCUMENT TRANSMITTAL**

Transmittal No.:	TR-01382-2016-4104	Date	16-Aug-16
To:	SUN SHANGXING Project Manager China Railways Construction Corp.	From:	MOHAMMAD A. AL-AJAJI Senior Project Engineer Expand Dhahran Community Projects Division - Increment I (SAPMT)
Document Type:	Technical Approval	Package:	Package 4
Aramco Reference No.:	CR4-1877	Contractor Reference No.:	001-796-1
BI / JO. No.:	BI-10-01382	Project Title:	Expand Dhahran Residential Community

Description:

Proposed QC Architectural Supervisor - Mr. Muhammad Rizwan.

Remarks:

No Objection As Noted.

Transmitted By	
Name:	Romeo B. Arroyo
Date:	16-Aug-16
Signature:	

Received By	
Name:	
Date:	
Signature:	



### REQUEST FOR TECHNICAL APPROVAL

Date: August 2, 2016

<b>TO: Mr. Mohammad A. Al-Ajaji</b> Sr. Project Engineer SAPMT	<b>CONTRACT NO :</b> 6600034661 <b>B.I./I.O. NO.:</b> B1-10-01382-0006 <b>PROJECT TITLE:</b> Expand Dahrhan Residential Community Project Package 4 <b>LOCATION :</b> South Dahrhan	<b>NO OF COPIES</b> 3	<b>SUBMITTAL CODE</b> <input checked="" type="checkbox"/> ARCHITECTURAL <input type="checkbox"/> CIVIL <input type="checkbox"/> STRUCTURAL <input type="checkbox"/> MECHANICAL <input type="checkbox"/> ELECTRICAL <input type="checkbox"/> OTHERS MANAGEMENT
<b>REFERENCE</b> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <b>SUBMITTAL NO. 001-796-1</b> </div>		<b>TO LINE ITEM</b> 1 OF 1 <b>DIVISION NO.</b> 1 <b>SPECS. SECTION</b> MANAGEMENT	

CR 4-1877 X 1994

ITEM NO	DESCRIPTION	MANUFACTURER (S) VENDOR (S)	CATALOG / SPECIFICATION PARAGRAPH / DRAWING NO	COMMENTS (FOR SAUDI ARAMCO USE ONLY)
1	Re-evaluation of CRCC's QC Architectural Supervisor Mr. Muhammad Rizwan (Rev. 01)			<div style="text-align: center;">  </div> <p>Resume</p> <p style="font-size: 18px; color: blue;">- See attached PIP Comments Letter No- DP15/L-2131/2016</p>

Having checked this submittal, we certify that it conforms to the requirements of the Contract Documents in all respects, except as otherwise indicated in the letter of transmittal	<b>SUBMITTED BY :</b>   <b>SUN SHANGXING</b> Name & Signature of Contractor's Rep.	<b>APPROVED BY :</b>   <b>Mr. Mohammad A. Al-Ajaji</b> Name & signature of Saudi Aramco Rep.
	<input type="checkbox"/> NO OBJECTION <input checked="" type="checkbox"/> NO OBJECTION AS NOTED <input type="checkbox"/> CORRECT & RESUBMIT <input type="checkbox"/> REJECTED	Date <div style="font-size: 24px; color: blue;">08/15/16</div>

13 AUG 2016

**INSPECTION DEPARTMENT**  
**SAPID / DHAHRAN PROJECT INSPECTION SECTION**  
 11<sup>th</sup> Floor West Wing Al-Midra Tower Bldg. Dhahran  
 ☎ 013-880-14720, ☎ 013-875-8330




**QA/QC Personnel Review Response Sheet**

<b>Letter No.:</b>	DPIS/L-2131/2016	<b>Date:</b>	August 9, 2016
<b>SUBMITTING SAUDI ARAMCO ORGANIZATION:</b>		<p><b>REVIEW STATUS</b></p> <p>1 - Accepted                  2 - Accepted with Comments                  3 - Reviewed with Comments                  4 - Reviewed with No Comments                  5 - Received for Information                  6 - Rejected                  7 - Conditionally Approved*</p> <p><b>Notes:</b>                  - * For Quality Personnel Only.                  - Status 3, 6 &amp; 7 requires resubmission</p>	
<b>To:</b>	TOWFIQ A. AL-ABDULHADI - Project Manager ✓		
<b>Department:</b>	COMMUNITY & PUBLIC PROJECTS DEPT / DH COMMUNITY EXPANSION PROJECTS - Increment I		
<b>Telephone:</b>	13-862-0800      Fax:		
<b>Address:</b>	R-003, Floor 1, SAPMT Site Office Bldg. (BI-10-01382) Dhahran		
<b>Attention:</b>	MOHAMMAD A.AL-AJAJI - Sr. Project Engr. ✓		
<b>BI / JO #</b>	<b>PROJECT TITLE</b>	<b>Contractor's Name:</b>	<b>Contractor's Contract No.</b>
10-01382-0006 ✓	Expand Dhahran Residential Community- Package-4 - 240 Villas ✓	China Railway Construction Corporation (CRCC)	6600034661
<b>Project Management Transmittal Reference:</b>		<b>Contractor Transmittal Reference:</b>	
TR-01382-CR4-645/16-PID ✓		001-796-1 ✓	
<b>Subject</b>	CRCC Re-Evaluation of QC Architectural Supervisor - Mr. Muhammad Rizwan (Rev.0) ✓		

**REVIEW COMMENTS**

Name:	Job Title	Review Status	Comments
Mr. Muhammad Rizwan	QC Architectural Supervisor	2	After three months of probationary, the candidate performance was found satisfactory with the project requirements. However, if he is found not dedicated to his work, DPIU has the right to revoke his approval anytime.




*This COMPANY Review shall not relieve the CONTRACTOR from responsibilities of the accuracy of the technical documents provided.*

<b>Reviewer:</b>	<b>Signature &amp; Date:</b>  8/9/16	<b>CC:</b>	<b>DCN : 1802</b> ✓
LAURENCE B. MARIANO / LTM	<b>Contact No.:</b> 0567-109-582	Project File ( original ) Letter Book e-cabinet	
<b>Supervisor:</b>	<b>Signature &amp; Date:</b>  8/9/16	Attachment : ( Y / N )	
MOHAMMED S. SUBHI	<b>Contact No.:</b> 13 880-1894		



**FADHILI GAS PROJECTS DEPARTMENT**  
**FADHILI SITE PREPARATION & EARLY WORKS PROJECTS DIVISION**

5th Floor, Karawan Tower B, Al-Khobar  
Telephone No.: 813-2777, Fax No. 887-9563

<b>DOCUMENT TRANSMITTAL</b>		Transmittal No. <b>FGPSP-SA-AYC-T-0148</b>	Date 07-Jul-15		
<b>TO:</b> KHALID SAIFULLA Contractor Representative Al-Yamama Company P.O. Box 2110 Damman 31451 Kingdom of Saudi Arabia		<b>FROM:</b> USAMA Y. ABDULFATTAH Company Representative Fadhili Site Preparation Project			
Contractor Name: Al-Yamama Company Contract No.: 6600035322 / BI No.: 10-01905		Project Title: Fadhili Site Preparation Location: Fadhili			
Saudi Aramco Approval Remarks Code:					
* Approved		* Correct Resubmit	* For Information		
* Approved w/ Comments		* Not Approved	* Other as Noted		
AYC Reference No.: AYC-SAPMT-T-0115					
Document No	Rev	Subject	Remarks	Qty	Nature
RTA-001-077	00	AYC PROPOSED QC SUPERVISOR MR. MUHAMMED RIZWAN	APPROVED	1	ORIG.
Please see attached PID Document Review Response No. FPIS-DRR-1905/2-045. Should you require any further clarification, please call Ihab H. Elokda at 813-2777 loc. 1751.					
 SXM, IHE		 USAMA Y. ABDULFATTAH Company Representative			
Transmitted By:		Received By:		Received Date	
 Shamsudheen B. Pattelath		_____ Name and Signature			



شركة أرامكو  
Saudi Aramco

Date: June 15, 2015

AL YAMAMA COMPANY for Trading & Contracting  
P.O. Box : 2110 Dammam - 31451  
SAUDI ARABIA

**REQUEST FOR TECHNICAL APPROVAL**

TO: SITE PREP & EARLY WORKS DIVISION  
Fadhili Gas Projects Department  
Saudi Aramco

CONTRACT NO.: 6600035322  
B.I./J.O. NO.: 1001905  
PROJECT TITLE: FADHILI SITE PREPARATION  
LOCATION: FADHILI

ATTN: USAMA Y. ABDULFATTAH  
Project Manager

REFERENCE SUBMITTAL NO.  
RTA-001-077

NEW SUBMITTAL  
 RESUBMITTAL

NO OF COPIES: 2

SUBMITTAL CODE:


A  ARCHITECTURAL  
C  CIVIL  
S  STRUCTURAL  
M  MECHANICAL  
E  ELECTRICAL  
O  OTHERS

SPECS. SECTION: MANAGEMENT

COMMENTS  
(FOR SAUDI ARAMCO USE ONLY)

Approved.

ITEM NO	DESCRIPTION	MANUFACTURER (S) VENDOR (S)	CATALOGUE / SPECIFICATION PARAGRAPH / DRAWING NO
1	AYC Proposed QC Supervisor Mr. Muhammed Rizwan. (CIVIL)		Resume



Having checked this submittal, we certify that it conforms to the requirements of the Contract Documents in all respects, except as otherwise indicated in the letter of transmittal

SUBMITTED BY:

KHALID SAIFULLA  
Name & Signature of Contractor's Rep. \_\_\_\_\_  
Date \_\_\_\_\_

This (ese)document(s) have been reviewed for general conformance with the contract such review does not relieve the contractor of his responsibilities under the terms of the contract nor authorize additional compensation

NO OBJECTION   
NO OBJECTION   
AS NOTED   
CORRECT & RESUBMIT   
REJECTED

APPROVED BY:

TIMOTHY VUKOMANOVIC  
Name & Signature of Lead Proj. Engineer \_\_\_\_\_  
Date \_\_\_\_\_


**INSPECTION DEPARTMENT  
NORTHERN AREA PROJECTS INSPECTION DIVISION  
FADHILI PROJECTS INSPECTION SECTION**


**DOCUMENT REVIEW RESPONSE**

<b>PID DRR Submittal #:</b>	<b>FPIS-DRR-1905/2-045</b>
<b>SAPMT Submittal #:</b>	<b>FGPSP-T-0051</b>
<b>SAPMT Organization:</b>	
<b>Name:</b>	Timothy, Vukomanovic, Sr. Project Engineer
<b>Department:</b>	Fadhili Gas Projects Dept / Early Works & Infrastructure Project
<b>Address:</b>	Karawan Tower B, 5th Floor, King Faisal Road Street, Al-Khobar
<b>Telephone:</b>	+966 13 813-2777 x3180
<b>Project Description</b>	Fadhili Site Preparation
<b>BI/JO</b>	10-01905-0002
<b>Main Contractor</b>	ALYAMAMA CO. FOR TRADING AND CONTRACTING
<b>Contractor Submittal #</b>	<b>RTA-001-077</b>
<b>AYC Reference No #</b>	<b>AYC-SAPMT-T-0115</b>
<b>Title of Submitted Document</b>	AYC PROPOSED QC SUPERVISOR MR. MUHAMMED RIZWAN

<b>REVIEW STATUS</b>	<b>REVIEW DEFINITIONS</b>
<b>1</b>	1 – Approved without comments 2 – Approved with comments 3 – Approved with JC Cards attached 4 – Partial approval 5 – Not approved 6 – Reviewed, no comments 7 – Reviewed with comments 8 – Partially reviewed with comments 9 – Review not required

**COMMENTS**



<b>Name of Signatory:</b> <b>Abdullah A Al-Rashidi</b> Field Supervisor	<b>Date:</b> 07/05/2015
cc 	Project File : FPIS-DRR-1905/2-045

**TO WHOM IT MAY CONCERN**

This is to certify that **Mr. Muhammad Rizwan** worked with **M/S DARPETRO** for Saudi Aramco Total Oil refinery (SATORP) in CSD department from **March 2015 to May 2015** for the role of **Sr. Civil Inspector**.

During this tenure of his work he remained involved in his work dedicated. He has a sound technical knowledge and demonstrates an excellent work ethic. He is proactive in resolving day to day issues as well as supporting the forward progress of the works.

We wish him all the best in his future endeavors.

Yours truly,



**Shahid Mirza**

**Project Manager**



**CHINA COMMUNICATIONS CONSTRUCTION COMPANY LTD.SAUDI BRANCH**

Office 4&5, 6th Floor, Sumou Building, Prince Salman Bin Abdulaziz Road (off Turki Bin Abdulaziz Road), Al Khobar, K.S.A.

Tel +966 3 89698 03/04/05; Fax +966 3 8969806

**INTERNAL CIRCULATING FORM OF INCOMING DOCUMENTS**

收文编号 Document Number	JSDP/ST-0572/13	收文日期 Receipt Date	December 21, 2013
发件单位 Received From	JSDP	收件人 Received By	ARBAB
标段号: Package Number	Package 10		

收文内容 Document Subject	OFFICIAL APPROVAL FOR Q.C PERSONNEL PKG- 10		
文件批复情况 Client Review Status	<input checked="" type="checkbox"/> 批准/可接受 Approved/Acceptable	<input type="checkbox"/> 有条件性接受 Acceptable with Comments	
	<input type="checkbox"/> 拒绝 Rejected	<input type="checkbox"/> 修改并重新提交 Revise & Resubmit	

Dear All,

Please find attached the documents transmitted by JSDP regarding the above subject for your action and information as per the instruction given in the following stamped space.

China Communications Construction Company (CCCC)		
SITE DOCUMENT DISTRIBUTION Contract # 05_2013		
Package: <u>10</u>	Date: <u>21.12.13</u>	
	ACTION	INFO
Site Project Manager		✓
Site QC Manager		
Site Engineer		
Site HSE Manager		
QDC		✓
HR Manager		
QC Supervisor		✓
DC	FILE	

*Oh 5:00 pm*





## JEDDAH STORMWATER DRAINAGE PROGRAM

P.O. Box 15362, Jeddah Zip Code 21491 Saudi Arabia

7th Floor, Bin Sulaiman Center, Khalidiyah District,

Fax: 02-606-9059

### DOCUMENT TRANSMITTAL

DATE :	<b>December 18, 2013</b>	TRANSMITTAL No.	<b>JSDP/ST-0572/13</b>
TO:	China Communication Construction Co. Ltd.	FROM:	Jeddah Stormwater Drainage Program
ATTN:	<b>Chen Yangui</b> Contractor Representative CCCC, KSA <a href="mailto:ygchen@chec.bj.cn">ygchen@chec.bj.cn</a>		<b>Mardi A. Al-Mansour</b> Contract 05_2013 East of Jeddah Project JSDP Project Manager
Fax #	966 (0) 51 896 9806	E-mail:	<a href="mailto:mansma0d@yahoo.com">mansma0d@yahoo.com</a>
Mobile #	966 (0) 53 043 8328	Fax #	
		Mobile #	50 595 6261

CCCC's Ref. No.:	CCCC-05_2013-P 10-QAQC-017	Date	December 16, 2013
------------------	----------------------------	------	-------------------

Subject	Official Approval for QC Personnel (Package 10)
---------	---

<b>CODES:</b>	<input checked="" type="checkbox"/> 1) Approved <input type="checkbox"/> 2) Approved w/ Comments <input type="checkbox"/> 3) Approved for Construction	<input type="checkbox"/> 4) Issued for Construction <input type="checkbox"/> 5) Re-submit w/ Comments <input type="checkbox"/> 6) Rejected/Disapproved	<input type="checkbox"/> 7) For Information/Reference <input type="checkbox"/> 8) For Action/Compliance <input type="checkbox"/> 9) With Attachment/s
---------------	--	--	---

(REMARKS / COMMENTS / INSTRUCTIONS)

Item No.	Candidate Name	Document Number	Proposed Position	Remarks
1	Muhammad Rizwan	CCCC-05_2013-P 10-QAQC-017	QC Civil Supervisor	Approved
2	Aries N. Aguila	CCCC-05_2013-P 10-QAQC-017	QC Civil Inspector	Approved
3	Jesse Zacarias Z. Vinta Jr.	CCCC-05_2013-P10-QAQC-017	QC Civil Inspector	Approved
4	Gamaliel L. Tero	CCCC-05_2013-P 10-QAQC-017	QC Civil Inspector	Approved
5	Jun Riel Q. Mendaros	CCCC-05_2013-P 10-QAQC-017	QC Civil Inspector	Approved

\*\*\*Nothing Follows\*\*\*

With reference to the above mentioned submittal dated December 16, 2013, JSDP reviewed the submittal and it is approved.

However, JSDP Project Inspection reserves the right to disqualify them in the future if their performance found unsatisfactory.

Kindly confirm receipt by signing on the space provided below.

*CCCC would not be entitled for any additional compensation or any adjustment of milestones dates and / or project completion date. JSDP, as per paragraph 6.0 of Schedule-H of the contract, may in its sole discretion issue a change order implementing any possible cost reduction might result from this transmittal.*

ORIGINATOR	MARDI A. AL-MANSOUR	
	JSDP Project Manager	SIGNATURE

The information contained in this document/s produced by JSDP WER 11-Project Management is solely for the use of the JSDP Contract No. 05\_2013. Proper handling of sensitive project documents is strictly advised to the recipient/s.

RECEIVED BY:	SIA Ba	[Signature]	0505342586
CCCC	PRINTED NAME	SIGNATURE	TEL. NO.
			DATE

INSTRUCTION TO THE RECEIVER: Please return acknowledged/signed copy of this transmittal to Jelmar M. Arceo email: [jayarceo000@gmail.com](mailto:jayarceo000@gmail.com)





**CHINA COMMUNICATIONS CONSTRUCTION COMPANY LTD.SAUDI BRANCH**

Office 4&5, 6th Floor, Sumou Building, Prince Salman Bin Abdulaziz Road (off Turki Bin Abdulaziz Road), Al Khobar, K.S.A.

Tel +966 3 89698 03/04/05; Fax +966 3 8969806

**DOCUMENT TRANSMITTAL**

Transmittal No.: CCCC-05\_2013-P10-QAC-017\_0

Date: December 16, 2013

**To:** Mr. Ahmed A. Al-Sulaim  
Client Representative  
Jeddah Stormwater Drainage Program  
7<sup>th</sup> Floor, Bin Sulaiman Center  
Jeddah, Saudi Arabia

**From:** Mr. Chen Yangui  
Contractor Representative  
China Communications Construction Company Ltd., Saudi Branch  
6<sup>th</sup> Floor, Sumou Building, Al Khobar, KSA

**Attn:** Mr. Mardi Al Mansour  
Project Manager

**Contract Title:** Khumra Channel (KHU) PACKAGE 10, Small Wadis (SW) PACKAGE 11, Upgrade Projects (UP) PACKAGE 12 and Quraa, Muraygh Outlet and Dam(QM) PACKAGE 13

**Contract No.:** 05\_2013      **Package No.:** Package 10-Khumra Channel (KHU)

**Sub-System:** N/A      **Sub-System Code:** N/A

THE DOCUMENTS HEREUNDER ARE SUBMITTED TO YOU FOR:

- |  |                                       |                                      |
|--|---------------------------------------|--------------------------------------|
| <input checked="" type="checkbox"/> Approval | <input type="checkbox"/> Verification | <input type="checkbox"/> Information |
| <input type="checkbox"/> Record              | <input type="checkbox"/> Deviation    | <input type="checkbox"/> Others      |

**DOCUMENTS DETAILED DESCRIPTION**

- |   |  |                                   |  |
|---|--|-----------------------------------|--|
| <input checked="" type="checkbox"/> New Submittal | <input type="checkbox"/> Re-submittal (Previous Sub. No.): |                                   |  |
| <input type="checkbox"/> Shop Drawing             | <input type="checkbox"/> Method Statement                  | <input type="checkbox"/> Material | <input checked="" type="checkbox"/> Others |

**SUBJECT:** OFFICIAL APPROVAL FOR "QC PERSONNEL" FOR PACKAGE - 10.

Dear Sir,

We would like to submit the following candidate (CV attached) for your kind review and approval.

Item	Candidate Name	Proposed Position
1	Muhammad Rizwan	QC Civil Supervisor
2	Aries N. Aguila	QC Civil Inspector
3	Jesse Zacarias Z. Vinta Jr.	QC Civil Inspector
4	Gamaliel L. Tero	QC Civil Inspector
5	Jun Riel Q. Mendaros	QC Civil Inspector'

Regards,

Quality Department Mohammad Riaz Iqbal 	Project Chief Engineer Zhou Jianshe 	Project Deputy General Mngr. Zhou Aijun 	Contractor Representative Chen Yangui 
---	--	--	--

Received by: A. SUNGA

Name

Signature

4 PM

Date

**RECEIVED**  
17-DEC 2013

Distribution: PM, QA Mngr.

ابن رشد  
ibn rushd



ID. C164663  
Exp.31/12/2013

محمد رجوان كهيلو نابا

NABI, MUHAMMAD R.

مقاوم

CONTRACTOR

# KING ABDULLAH SPORTS CITY

CONTRACT NO. 6600027544 (IK)

أرامكو السعودية  
Saudi Aramco



Curriculum Vitae



AL MUHAMMADIYAH SIX CONSTRUCT COMPANY  
شركة المهديب سبس كونستراكت

Candidate name:

Mr. MUHAMMAD RIZWAN  
(QC Inspector Civil)

Sub contractor ALAMAAT Specialized Contracting EST.

Function description:

For Permanent Approval as QC Inspector Civil

Response:



4:45 PM  
[Signature]

Attachment:

Date: 01/07/2013

### CURRICULUM VITAE STATUS

ACCEPTED (ACC)

TO RESUBMIT (TRS)

ACCEPTED WITH COMMENTS (AWC)

REJECTED (REJ)

NAME:

POSITION:

DATE:

SIGNATURE:

SAMEER I. AL-DHAMEN

SR. PROJECT MANAGER

11/15/2012

[Signature]

Pages : 21

### DOCUMENT CODE

A S C X X P M H R M S X G D O X X 0 9 4 5 7 3

REV.

A

# WESTERN REGION PROJECT INSPECTION

R-1019A, Building 001, Musadia, Jeddah

☎ 427-1307, 📠 427-0480

## Transmittal Review Response

WRPIS TR Number WRPIS/T-057/2013

To Sameer Al Dhamen, Sr. Project Manager.

DIVISION King Abdullah Sports City Project

TELEPHONE

FAX 02-427069

ATTENTION

### REVIEW STATUS

1

#### REVIEW DEFINITIONS

- 0-Information only.
- 1- Approved.
- 2- Approved with comments.
- 3- Conditional Approval
- 4- Not Approved-Correct & Resubmit
- 5- Reviewed & No comments.
- 6- Reviewed with Comments
- 7- Review not required.

BI/JO

25-50000

CONTRACTOR

Al-Muhaidib Six Construct Company

PROJECT

King Abdullah Sports City Project

PMT Transmittal Reference

KASC/T-0291-2012

Contractor Transmittal Reference

KASC-XX-PM-HR-MSX-GDO-XX-094573-A

Document Subject

CV QCINSPECTOR (CIVIL) Muhammad Rizwan

### REVIEW COMMENTS

PID has completed interview and evaluated Contractor QC personnel with below result:

S.NO	Name	Position	Review Results
1	Mohammad Rizwan	Civil Inspector	( 1 )


#### Notes:

1. Contractor to update submitted table of organization incorporating above approved personnel.

Reviewer

Salim/MSK

Signature & Date

 11/13-13

Supervisor Approval

Faisal M. Al-Batati, Field Supervisor

Signature & Date

 11/4/13

14 JAN 2013

8:15AM



CHINA COMMUNICATION CONSTRUCTION COMPANY LTD. SAUDI BRANCH  
JEDDAH STORMWATER DRAINAGE PROGRAM NORTHERN CHANNEL PACKAGE 7

CONTRACT NO. : 07 2012

Ref: CCCC-KSA-JSDP07-O-JSDP-QAQC-LET-0042

Date: 7 October 2012

To: Jeddah Stormwater Drainage Program

Bin Sulaiman Center, 7<sup>th</sup> Floor  
I/S Price Sultan St & Rawdah St.  
Jeddah, Kingdom of Saudi Arabia  
Tel: +966 2 213 8511  
Fax: +966 2 606 9059

Attn: Mr. Ahmed A. Al-Sulaim – General Manager

CC.: Mr. Sameer I. Al-Dhamen – Project Manager  
Mr. Ahmed Zahrani – Project Engineer  
Mr. Husam H. Sendi-Quality Manager/JSDP  
Mr. Elsayed G Elshabshiri,- Quality Assurance Manager  
Mr. Ismail Ozturk – Project Manager/AECOM  
Mr. Romulus Constantino- QA/QC Supervisor/AECOM

Project: Jeddah Stormwater Drainage Program  
Northern Channel Package 07; Contract 07\_2012

Subject: **OFFICAL APPROVAL FOR QC INSPECTORS**

Dear Sir,

We are submitting the following **Two QC Inspectors** for your review and approval:

1. Quality Civil Inspector , Isidro S.Cordial
2. Quality Civil Inspector , Muhammed Rizwan

Note: These two inspectors have been interviewed and approved by JSDP QA/QC Supervisor Mr. Romulus Constantino.

Your earliest approval on our submittal is highly appreciated.

Sincerely,

Mr. Zang Shuzhe  
Site Agent

Attachment: as stated



head office: Zhonejiao Plaza, B88, Andingmenwai Dajie, Beijing 100011, P.R. China

Tel: +86 (10) 6428 7288; Fax: +86 (10) 6427 0551

K.S.A: Sumou Building, 6<sup>th</sup> Floor, Office 4&5 Prince Salman Bin Abdulaziz Road (off Turki Bin Abdulaziz Road), Al Khobar, K.S.A.

Tel +966 3 89698 03/04/05; Fax +966 3 8969806

Page 1 of 1

SKEC-KAPSARC	
SOO. DISTRIBUTION	
DEPT.	SIGN
PROJ.	
PH	
COORDINATOR	
GRACE	
HSE	
LEED	
ENGINEER	
SCH	
ZONE A	
ZONE B	
ZONE C	
CIVIL	
MECH	
ELEC	
INT	
LANDSCAPE	
PROC.	
ADMIN	
PCM	

# King Abdullah Petroleum Studies & Research Center Project Department Residential & Community Complex

[ BI/JO NO. 25-00013      CONTRACT NO. 6600024662 ]

Transmittal No.: **KAPSARC/RCC/2012/T- 5746**

Date: **Feb 12, 2012**

## DOCUMENT TRANSMITTAL

<b>TO: Mr. Sae Goan Kim</b> Project Director Branch of SK Engineering & Construction Co. Ltd. 8th Fl, Sadat Tower, Khobar-Dammam Highway, Golden Belt Area PO Box 3721, Al-Khobar 31952, Saudi Arabia - Tel: 966-(0)3-887-8300	<b>FROM Pierre Bechara Dib</b> Company Representative KAPSARC - Resid'l & Community Complex Rm#1, TCF Bldg. 102, Saudi Aramco Proj Site Office Near KKIA, beside PNUW Riyadh, Saudi Arabia
--	---

**TRANSMITTING HERewith THE FOLLOWING DOCUMENT(S):**      Original       Copy

- |                                       |   |                                     |                                     |   |
|---------------------------------------|---|-------------------------------------|-------------------------------------|---|
| <input type="checkbox"/> LETTER / FAX | <input type="checkbox"/> BROCHURE / CATALOG   | <input type="checkbox"/> SCHEDULE   | <input type="checkbox"/> CD         | <input checked="" type="checkbox"/> OTHERS (pls. specify) |
| <input type="checkbox"/> DRAWING      | <input type="checkbox"/> CALCULATION          | <input type="checkbox"/> DATA SHEET | <input type="checkbox"/> RESUME/ CV | Reply to SK transmittal below.                            |
| <input type="checkbox"/> REPORT       | <input type="checkbox"/> MATERIAL / EQUIPMENT | <input type="checkbox"/> PROCEDURE  | <input type="checkbox"/> SAMPLE(S)  |   |

**COPY TO:**

<input type="checkbox"/> Dept. Manager	<input type="checkbox"/> Bus. Manager	<input type="checkbox"/> Site Dev't. & Utilities	<input type="checkbox"/> Research & Ofc. Complex	<input type="checkbox"/> OTHERS (pls. specify)
<input type="checkbox"/> Proj. Manager	<input type="checkbox"/> Planning & Admin. Group	<input checked="" type="checkbox"/> Resid'l. & Comm. Complex	<input type="checkbox"/> Project Insp. Group	

**ACTION TO BE TAKEN:**

<input type="checkbox"/> FOR APPROVAL	<input type="checkbox"/> REVIEW/COMMENTS	<input checked="" type="checkbox"/> FOR INFORMATION	<input checked="" type="checkbox"/> FOR UPDATE	<input checked="" type="checkbox"/> URGENT	<input type="checkbox"/> RECORD/FILE
---------------------------------------	--	---	--	--	--------------------------------------

NO.	QTY	DESCRIPTION
1	1	KAPSARC-RCC-TSI-SKEC- 4363 Request for Re-Evaluation Conditionally approved SKEC QCI Personnel Mr. Mirza Tasawar & Mr. Mohammed Rizwan.

**COMMENTS: (IF ANY)**  
 Please see attached SAPMT-PID Document Response Review Sheet Ref. No. KAPSARC/R&CC/2011/PID-0679

**Disclaimer:** "The approval of this submittal should not waive the requirements of the project contract, specification and the applicable Saudi Aramco standards"


RECEIVED BY:	FURTHER ACTION (to be use by KAPSARC only)
NAME: _____ BADGE NO. _____ COMPANY: _____ TEL. NO. _____	<input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> REJECTED <input type="checkbox"/> APPROVED W/ COMMENTS (DO NOT RESUBMIT) <input type="checkbox"/> INFORMATION <input type="checkbox"/> REVISED WITH COMMENTS <input type="checkbox"/> SEE COMMENTS <input type="checkbox"/> REVISE & RESUBMIT <input type="checkbox"/> NO COMMENTS SIGNATURE: _____



**CENTRAL & WESTERN REGION PROJECTS INSPECTION DIVISION**  
**King Abdullah Petroleum Studies & Research Center Project Inspection Section**  
 Building 200, KAPSARC Construction Site, Riyadh

KAPSARC-PIS Transmittal No. KAPSARC/R&CC/SK/L-775/2012

**Document Review Response**

<b>NAME</b>	Pierre Becharadid , Project Manager	<b>REVIEW STATUS</b>  <ul style="list-style-type: none"> <li>0-Information only.</li> <li>1-approved.</li> <li>2-Approved with comments.</li> <li>3-Conditional Approval</li> <li>4-Not approved Correct &amp; resubmit.</li> <li>5-Reviewed &amp; No comments.</li> <li>6- Reviewed &amp; comments included.</li> <li>7-Reviewed, &amp; JCCs enclosed</li> <li>8-Review not required.</li> <li>9-NCR/ WS Issued</li> <li>10-NCR/WS Cleared</li> <li>11-PQI</li> </ul>
<b>DEPARTMENT</b>	KAPSARC PROJECTS DEPT/Residential and Community Complex Package	
<b>TELEPHONE</b>	+966 558 886493	
<b>FAX</b>	N/A	
<b>ATTENTION</b>	Hilal Darwish, Sr. Project Engineer	

<b>BI/JO:</b>	<b>CONTRACTOR:</b>	<b>PROJECT DESCRIPTION:</b>
25-00013-0003	SKEC	King Abdullah Petroleum Studies & Research Center Project Inspection Section : KAPSARC-Residential and Community Complex-Riyadh

<b>DOCUMENT REFERENCE</b>	KAPSARC/RCC/2012/PID-0679
<b>DOCUMENT DESCRIPTION</b>	Request for Reevaluation of Contractor QC Personnel, M. Rizwan, MT Iqbal (KAPSARC-RCC-TSI-SKEC-4363)

**REVIEW COMMENTS**

❖ KAPSARC RCCPIU re evaluated and approved the following QC Personnel;

1. **Mirza Tasawar Iqbal** – (1) approved as SKEC QC Civil Inspector
2. **Mohammed Rizwan** – (1) approved as SKEC QC Civil Inspector

KAPSARC RCCPIU will monitor their performance and reserves the right to revoke the approval if found unsatisfactory or lack of competence in fulfilling their duties and contractor shall designate a qualified replacement on expedited basis.



<b>Attachments Enclosed</b>	<b>Correct and Re-submit:</b>
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<b>Reviewer:</b>	<b>Signature &amp; Date:</b>
Jun Purawan –Sr. Project Inspection Engr. (0509932487) Saleh Al Qahtani-Quality Supervisor, (0553447759)	[Signature] 11 Feb 12
<b>Supervisor:</b>	<b>Signature &amp; Date:</b>
Hamad K Muhanna, SA Supervisor-R&CCPIU (0506887280)	[Signature] 2/12/12



REFERENCE: PROJ. 2365 – PACKAGE 2A - JUBAIL EXPORT REFINERY – SATORP – KSA

Contract No.: 2365CK002

Date: 07-08-2010

From : TECHNIP SAUDI ARABIA Ltd.  
To : ASTALDI ARABIA Ltd.  
Attn : Mr. Alvo Nicolo - Project Manager  
Title : SATORP response on QA/QC Personnel CV's  
Action :  
Department : QA/QC  
Transmittal Category : 5



Submitted for : Record & Information

Transmitted documents :			
Document Code	Rev.	Document Description	Status
		Mr. Muhammed Rizwan - QC Supervisor	Approved
		Mr. Mohamad Akhil Sk. Murtaja - QC Coating Inspector	Conditional Approval

Addressees :		No. of Pages:
A. Savi		T+2 sheet (s)
V. Seewöster		
G. Cau		
E. Romano		
A. Di Cuffa		
D. Manola		
O. Crabuzza		
M. Zagzoug		
E. Balagtas		
M. Muzamil		
File 2365		

Best Regards

A. Savi  
Site Manager



August 08, 2010

JER-35421-LET-CNVP-TPSA-2012-001229

COMPANY RESPONSE TO  
JER-35421-LET-TPSA-CNVP-2012-002068  
JER-35421-LET-TPSA-CNVP-2012-002204  
CV'S FOR APPROVAL

TECHNIP ITALY S.p.A.  
Viale Castello della Magliana,68  
00148 Roma  
ITALIA  
Phone: +39 06 6598 3462  
Fax: +39 06 6598 3728  
Attn: Mr. Aldo Peraccini  
[aperaccini@technip.com](mailto:aperaccini@technip.com)

Answer required: YES  NO

Dear Sir,



With reference to TPSA letters JER-35421-LET-TPSA-CNVP-2012-002068/2204, please find COMPANY responses below.

- Submittal No. JER-35421-LET-TPSA-CNVP-2012-002068;
  - ✓ Muhammed Rizwan – Astaldi Civil QC Supervisor **APPROVED**
- Submittal No. JER-35421-LET-TPSA-CNVP-2012-002204;
  - ✓ N. Thrasha – Sinopec PWHT Technician **CONDITIONALLY APPROVED**  
(Comment: 3 months performance monitoring)
  - ✓ V.S. Malpe – Sinopec PWHT Technician **CONDITIONALLY APPROVED**  
(Comment: 3 months performance monitoring)

Regards,

Rami Khourzom  
Project Manager, Package 2A

npf/kek  
Cc: JLD/GM/EGD/WE/DCC

**Bader Turki Otaibi Est.**

**For Contracting**

**C.R. 1010239851**



**مؤسسة بدر تركي العتيبي**

**للمقاولات**

**س.ت. ١٠١٠٢٣٩٨٥١**

*Date: July 20, 2010*

**TO WHOM IT MAY CONCERN**

*This is certify that **Mr. Muhammad Rizwan** has been an employee of Bader Turkey Al Otaibi Cont. Est. he has worked as **QA/QC Civil and Architecture inspector on Prince Sultan Al Kabeer Palace Riyadh Project from August 14,2008 To July 19, 2010 .***

*During this tenure, he has shown an interest in this work realizes his responsibilities and accomplished his task with outmost sincerity.*

*We wish him a bright future*

**Mohammad Afzal**

**Project Manager**





Dated: February 20, 2004

TO WHOM IT MAY CONCERN

This is to certify that **Mr. Muhammad Rizwan** was working with us as **Site Inspector** from **July 10, 2002** to **February 20, 2004** at our **Eden Housing Society and Overhead Sher Pao Bridge Lahore Project**.

During all of his tenure we found him very hard worker and cooperative with all related department and other departments too.

We wish him all the best in his future endeavors.

Yours faithfully,

**Ch. Abdul Khaliq**  
**Project Manager**  
**Buildco, Pakistan**