



## vandi.com.sa

Registrar <b>Unknown</b>	Registration Date <b>Invalid date</b>	Contact Info <b>Unknown</b>	Transfer Lock <b>Unknown</b>
-----------------------------	--	--------------------------------	---------------------------------

### DNS

#### Name Servers

Name Servers store the configuration of your domain as a collection of resource records.

Name Servers	IP Address
ns1.bluehost.com	162.159.24.80
ns2.bluehost.com	162.159.25.175

#### DNS Manager

[Reset Zones to Default](#)

DNS records are advanced settings required for domain services to function properly. Use caution when adding or editing. [Learn More](#)

#### A

[Add Record](#)

Address Record points a domain or subdomain to an IP address. For example, you can use it for store.website.com and point it to where you have your store.

It usually takes a few hours for DNS/name server changes to propagate across the internet (up to 48 hours in rare cases).

Host Record	Points To	TTL	
@	162.241.133.167	4 Hours	⋮
mail	162.241.133.167	4 Hours	⋮

#### CNAME

[Add Record](#)

Canonical Name points one domain or subdomain to another domain name, allowing you to update one A Record each time you make a change.

Host Record	Points To	TTL	
www	vandi.com.sa	4 Hours	⋮
ftp	vandi.com.sa	4 Hours	⋮
autodiscover	autodiscover.outlook.com	3600	⋮

#### MX (Mail Exchanger)

[Add Record](#)

Mail Exchanger Entry directs email to a particular mail server.

[Advanced Settings](#) ▾

Priority	Host Record	Points To	TTL	
0	@	vandi-com-sa.mail.protection.outlook.com	4 Hours	⋮

#### SRV (Service)

[Add Record](#)

Service record points one domain to another domain name using a specific destination port.

Service	Protocol	Host	Priority	Weight	Port	Target	TTL
---------	----------	------	----------	--------	------	--------	-----

#### TXT

[Add Record](#)

Text Entry was originally intended for human-readable text. These records are dynamic and can be used for several purposes.

Host Record	TXT Value	TTL	
default_domainkey	v=DKIM1; k=rsa; p=MIIIBljANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA0le//buKRroO1C0Mf2qJ3AqEUIGcsc9k0E8vBhTlkrIb8caqK		
@	v=spf1 include:spf.protection.outlook.com -all	4 Hours	⋮
_cpanel-dcv-test-record	_cpanel-dcv-test-record=rCWmV1_PCDElpsrVlp1ZwybjhkmY2U71ymtHmqmUnDB6tfVBPTUPTrSq52tKfPZH	4 Hours	⋮
_dmarc	v=DMARC1; p=quarantine; pct=100; rua=mailto:admin@vandi.com.sa	4 Hours	⋮

#### AAAA (IPv6 Host)

[Add Record](#)

An AAAA record points a domain or subdomain to an IPv6 address

Host Record	Points To	TTL
-------------	-----------	-----