

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

This is to certify that Mr. VINEETH M NAIR has complied with the written practice requirements of Decibel DB-WP-1A 2016 Edition which meets/exceeds the requirements of American Society for Non Destructive Testing

Recommended Practice Standard: SNT-TC-1A 2016 Edition & American National Standards

Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel ANSI/ASNT CP-189 2016 Edition, and has demonstrated proficiency by successfully completing theoretical and practical examination for Level II in the

Method: RADIOGRAPHY TESTING

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	85 Hours	Date of Expiry:	27-04-2026
Product Sector:	Weldments				
Scope of Competence:	NDT Instruction Writing, X-Rays, Gamma-Rays.				
Written Specific Examination Based on:	ASTM E94 -Standard Guide for Radiographic Examination				
Certificate Number:	802450	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results

	Min required %	Obtained Score %
General	70.00 %	80.00
Specific	70.00 %	80.00
Practical	70.00 %	80.00
Composite	80.00 %	80.00

REF: DB-CERT-03-16 REV: 02



V.S. NAIDU
ID No: 167447



Certifying Examiner
Velamala Siven Naidu
ASNT NDT Level III
(RT, UT, MT, PT, VT, ET, MFL)
PCN NDT Level III (UT, MT, PT)
ASNT Cert No: 167447



Course Coordinator
Sangeeth Kavil P
MInstNDT, MIMechE, MWeldI, LEP
NAS 410/EN 4179 NDT Level III
(RT, UT, MT, PT, VT, ET, PAUT)
PCN Level II (RI, UT, MT, PT)



Course Director
H. Cornelis
CEng, MInstNDT, FIMechE, FWeldI, LEP
Corporate NDT Level III
(RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

This is to certify that **Mr. VINEETH M NAIR** has complied with the written practice requirements of Decibel **DB-WP-1A 2016 Edition** which meets/exceeds the requirements of American Society for Non Destructive Testing

Recommended Practice Standard: **SNT-TC-1A 2016 Edition** & American National Standards

Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel **ANSI/ASNT CP-189 2016 Edition**, and has demonstrated proficiency by successfully completing theoretical and practical examination for **Level II** in the

Method: **RADIOGRAPHY TESTING FILM INTERPRETATION**

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	45 Hours	Date of Expiry:	27-04-2026
Product Sector:	Weldments				
Scope of Competence:	Dense Metal, Light Metal				
Written Specific Examination Based on:	ASTM E1032 - Radiographic Examination of Weldments				
Certificate Number:	802451	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results

	Min required %	Obtained Score %
General	70.00 %	82.00
Specific	70.00 %	80.00
Practical	70.00 %	82.00
Composite	80.00 %	81.33

REF: DB-CERT-01-16 REV: 02



Certifying Examiner
Velamala Siven Naidu
ASNT NDT Level III
(RT, UT, MT, PT, VT, ET, MFL)
PCN NDT Level III (UT, MT, PT)
ASNT Cert No: 167447

Course Coordinator
Sangeeth Kavil P
MInstNDT, MIMechE, MWeldi, LEP
NAS 410/EN 4179 NDT Level III
(RT, UT, MT, PT, VT, ET, PAUT)
PCN Level II (RI, UT, MT, PT)

Course Director
H. Cornelis
CEng, MInstNDT, FIMechE, FWeldi, LEP
Corporate NDT Level III
(RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

This is to certify that **Mr. VINEETH M NAIR** has complied with the written practice requirements of Decibel **DB-WP-1A 2016** Edition which meets/exceeds the requirements of American Society for Non Destructive Testing

Recommended Practice Standard: **SNT-TC-1A 2016** Edition & American National Standards

Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel **ANSI/ASNT CP-189 2016** Edition, and has demonstrated proficiency by successfully completing theoretical and practical examination for **Level II** in the

Method: **ULTRASONIC TESTING**

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	125 Hours	Date of Expiry:	27-04-2026
Product Sector:	Wroughts & Weldments				
Scope of Competence:	NDT Instruction Writing, Corrosion Monitoring, Lamination, Thickness Measurement				
Written Specific Examination Based on:	ASTM A435 - For Straight Beam UT of Steel Plate				
Certificate Number:	802452	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results

	Min required %	Obtained Score %
General	70.00 %	82.00
Specific	70.00 %	82.00
Practical	70.00 %	82.00
Composite	80.00 %	82.00

REF: DB-CERT-03-16 REV: 02



Certifying Examiner
Velamala Siven Naidu
ASNT NDT Level III
(RT, UT, MT, PT, VT, ET, MFL)
PCN NDT Level III (UT, MT, PT)
ASNT Cert No: 167447

Course Coordinator
Sangeeth Kavil P
MInstNDT, MIMechE, MWeldI, LEP
NAS 410/EN 4179 NDT Level III
(RT, UT, MT, PT, VT, ET, PAUT)
PCN Level II (RI, UT, MT, PT)

Course Director
H. Cornelis
CEng, MInstNDT, FIMechE, FWeldI, LEP
Corporate NDT Level III
(RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

This is to certify that **Mr. VINEETH M NAIR** has complied with the written practice requirements of Decibel DB-WP-1A 2016 Edition which meets/exceeds the requirements of American Society for Non Destructive Testing

Recommended Practice Standard: SNT-TC-1A 2016 Edition & American National Standards

Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel ANSI/ASNT CP-189 2016 Edition, and has demonstrated proficiency by successfully completing theoretical and practical examination for **Level II** in the

Method: **ULTRASONIC TESTING WELD SCANNING**

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	65 Hours	Date of Expiry:	27-04-2026
Product Sector:	Weldments				
Scope of Competence:	NDT Instruction Writing, Butt Welds in Plate, Butt Welds in Pipe				
Written Specific Examination Based on:	ASTM E164 Practice for Contact Ultrasonic Testing of Weldments				
Certificate Number:	802453	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results		
	Min required %	Obtained Score %
General	70.00 %	82.00
Specific	70.00 %	82.00
Practical	70.00 %	84.00
Composite	80.00 %	82.66

REF: DB-CERT-02-16 REV: 02



Certifying Examiner
Velamala Siven Naidu
ASNT NDT Level III
(RT, UT, MT, PT, VT, ET, MFL)
PCN NDT Level III (UT, MT, PT)
ASNT Cert No: 167447

Course Coordinator
Sangeeth Kavil P
MInstNDT, MIMechE, MWeldi, LEP
NAS 410/EN 4179 NDT Level III
(RT, UT, MT, PT, VT, ET, PAUT)
PCN Level II (RI, UT, MT, PT)

Course Director
H. Cornelis
CEng, MInstNDT, FIMechE, FWeldi, LEP
Corporate NDT Level III
(RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

*This is to certify that **Mr. VINEETH M NAIR** has complied with the written practice requirements of Decibel DB-WP-1A 2016 Edition which meets/exceeds the requirements of American Society for Non Destructive Testing*

*Recommended Practice Standard: **SNT-TC-1A 2016** Edition & American National Standards*

*Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel **ANSI/ASNT CP-189 2016** Edition, and has demonstrated proficiency by successfully completing theoretical and practical examination for **Level II** in the*

*Method: **MAGNETIC PARTICLE TESTING***

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	35 Hours	Date of Expiry:	27-04-2026
Product Sector:	Weldments				
Scope of Competence:	NDT Instruction Writing, Portable Equipments- AC Yoke, DC Yoke, Permanent Magnet				
Written Specific Examination Based on:	ASTM E709 Standard Guide for Magnetic Particle Testing				
Certificate Number:	802454	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results

	Min required %	Obtained Score %
General	70.00 %	84.00
Specific	70.00 %	82.00
Practical	70.00 %	82.00
Composite	80.00 %	82.66

REF: DB-CERT-03-16 REV: 02



Certifying Examiner
Velamala Siven Naidu
ASNT NDT Level III
(RT, UT, MT, PT, VT, ET, MFL)
PCN NDT Level III (UT, MT, PT)
ASNT Cert No: 167447

Course Coordinator
Sangeeth Kavil P
MInstNDT, MIMechE, MWeldi, LEP
NAS 410/EN 4179 NDT Level III
(RT, UT, MT, PT, VT, ET, PAUT)
PCN Level II (RI, UT, MT, PT)

Course Director
H. Cornelis
CEng, MInstNDT, FIMechE, FWeldi, LEP
Corporate NDT Level III
(RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

This is to certify that **Mr. VINEETH M NAIR** has complied with the written practice requirements of Decibel DB-WP-1A 2016 Edition which meets/exceeds the requirements of American Society for Non Destructive Testing

Recommended Practice Standard: **SNT-TC-1A 2016 Edition** & American National Standards

Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel **ANSI/ASNT CP-189 2016 Edition**, and has demonstrated proficiency by successfully completing theoretical and practical examination for **Level II** in the

Method: **LIQUID PENETRANT TESTING**

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	35 Hours	Date of Expiry:	27-04-2026
Product Sector:	Weldments				
Scope of Competence:	NDT Instruction Writing, Fluorescent Penetrants, Dye Penetrants				
Written Specific Examination Based on:	ASTM E1417 Practice for Liquid Penetrant Testing				
Certificate Number:	802455	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results

	Min required %	Obtained Score %
General	70.00 %	82.00
Specific	70.00 %	82.00
Practical	70.00 %	84.00
Composite	80.00 %	82.66

REF: DB-CERT-05-16 REV: 02




V.S. NAIDU
 ID No: 167447
 Certifying Examiner
 Velamala Sivan Naidu
 ASNT NDT Level III
 (RT, UT, MT, PT, VT, ET, MFL)
 PCN NDT Level III (UT, MT, PT)
 ASNT Cert No: 167447


Sangeeth Kavil P
 Course Coordinator
 MInstNDT, MIMechE, MWeldI, LEP
 NAS 410/EN 4179 NDT Level III
 (RT, UT, MT, PT, VT, ET, PAUT)
 PCN Level II (RI, UT, MT, PT)


H. Cornelis
 Course Director
 CEng, MInstNDT, FIMechE, FWeldI, LEP
 Corporate NDT Level III
 (RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com

Certificate of Proficiency
NDE CERTIFICATION IN ACCORDANCE TO
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

This is to certify that Mr. VINEETH M NAIR has complied with the written practice requirements of Decibel DB-WP-1A 2016 Edition which meets/exceeds the requirements of American Society for Non Destructive Testing

Recommended Practice Standard: SNT-TC-1A 2016 Edition & American National Standards

Institute/American Society for Non Destructive Testing, Standard for Qualification and Certification of Non Destructive Testing Personnel ANSI/ASNT CP-189 2016 Edition, and has demonstrated proficiency by successfully completing theoretical and practical examination for Level II in the

Method: VISUAL TESTING (DIRECT)

held during the Specified period, mentioned in the Program Certificate.

This Certificate is valid for a period of Five Years from the date of issue and Recertifiable based on Practical Re-Examination or in accordance to "DB-WP-1A" Latest Edition

Date of Issue:	28-04-2021	Training Hours:	45 Hours	Date of Expiry:	27-04-2026
Product Sector:	Weldments				
Scope of Competence:	NDT Instruction Writing, Materials & Components, Pipe, Plate, Macro, Bend & Fracture				
Written Specific Examination Based on:	BS EN ISO 17637:2011 NDT of welds. Visual testing of fusion-welded joints				
Certificate Number:	802456	Issue Number:	01	Verification ID:	501956
Near Vision:	OK	Colour Vision:	OK	Work Experience:	06 Months
				Result:	PASSED

Examination Results

	Min required %	Obtained Score %
General	70.00 %	84.00
Specific	70.00 %	82.00
Practical	70.00 %	84.00
Composite	80.00 %	83.33

REF: DB-CERT-03-16 REV: 02




V.S. NAIDU
 ID No: 167447
 Certifying Examiner
 Velamala Suresh Naidu
 ASNT NDT Level III
 (RT, UT, MT, PT, VT, ET, MFL)
 PCN NDT Level III (UT, MT, PT)
 ASNT Cert No: 167447


Sangeeth Kavil P
 Course Coordinator
 MInstNDT, MIMechE, MWeldI, LEP
 NAS 410/EN 4179 NDT Level III
 (RT, UT, MT, PT, VT, ET, PAUT)
 PCN Level II (RI, UT, MT, PT)


H. Cornelis
 Course Director
 CEng, MInstNDT, FIMechE, FWeldI, LEP
 Corporate NDT Level III
 (RT, UT, MT, PT, ET, VT)



Corporate Partner
ASNT

Decibel NDE Inspections & Training Institute

1st Floor Plainfield Business Enclave, Near Civil Court, Pattambi, Palakkad District, Kerala, India -679303
Phone: +91(0)-466-2214-333, +91-9895027721 Email: info@decibelnde.com Web: www.decibelnde.com